




A7400DM

3/8" Square Drive Sockets with Metric Bi-Hex Profile



PRODUCT DETAILS



- Knurled shank for finger turning of free running fasteners
- Applicable to nuts and bolts used in the aerospace industry
- Not suitable for machine operation or power tools
- Highly polished finish
- High-performance alloy steel
- Less wear of the fastener thanks to Dynamic-Drive™ profile
- Maximum load distribution and torque from the additional flank area
- Thin walled for better accessibility
- Standards: ISO 2725/1174 and DIN 3124/3120



Follow the Fish!





PRODUCT ATTRIBUTES

Product		L	D1	D2	T	
A7400DM-6	6 mm	25.5 mm	9.3 mm	17 mm	7 mm	14 g
A7400DM-7	7 mm	25.5 mm	10.9 mm	17 mm	7 mm	14 g
A7400DM-8	8 mm	25.5 mm	14 mm	17 mm	8 mm	14 g
A7400DM-9	9 mm	24 mm	13.4 mm	17 mm	8 mm	19 g
A7400DM-10	10 mm	25.5 mm	14.6 mm	17 mm	8 mm	19 g
A7400DM-11	11 mm	25.5 mm	15.9 mm	17 mm	8 mm	19 g
A7400DM-12	12 mm	25.5 mm	17 mm	17 mm	8.5 mm	22 g
A7400DM-13	13 mm	36 mm	18.4 mm	17 mm	8.5 mm	60 g
A7400DM-14	14 mm	27 mm	19.6 mm	19 mm	13 mm	22 g
A7400DM-15	15 mm	27 mm	20.9 mm	19 mm	13 mm	26 g
A7400DM-16	16 mm	27 mm	22 mm	20 mm	13 mm	28 g
A7400DM-17	17 mm	27 mm	13.4 mm	20 mm	13 mm	30 g
A7400DM-18	18 mm	27 mm	24.5 mm	20 mm	13 mm	36 g
A7400DM-19	19 mm	29 mm	25.6 mm	21 mm	14 mm	39 g
A7400DM-20	20 mm	29 mm	26.8 mm	24 mm	14 mm	42 g
A7400DM-21	21 mm	29 mm	27.9 mm	24 mm	14 mm	49 g
A7400DM-22	22 mm	31 mm	29.6 mm	26 mm	16 mm	50 g
A7400DM-24	24 mm	31 mm	29,8 mm	26 mm	16 mm	50 g
SBA7400DM-6	6 mm	25.5 mm	9.3 mm	17 mm	7 mm	14 g
SBA7400DM-7	7 mm	25.5 mm	10.9 mm	17 mm	7 mm	14 g
SBA7400DM-8	8 mm	25.5 mm	11.8 mm	17 mm	8 mm	14 g
SBA7400DM-9	9 mm	25.5 mm	13.4 mm	17 mm	8 mm	19 g
SBA7400DM-10	10 mm	25.5 mm	14.6 mm	17 mm	8 mm	19 g
SBA7400DM-11	11 mm	25.5 mm	15.9 mm	17 mm	8 mm	19 g
SBA7400DM-12	12 mm	25.5 mm	17 mm	17 mm	8.5 mm	22 g
SBA7400DM-13	13 mm	25.5 mm	18.4 mm	17 mm	8.5 mm	22 g
SBA7400DM-14	14 mm	27 mm	19.6 mm	19 mm	13 mm	22 g
SBA7400DM-15	15 mm	27 mm	20.9 mm	19 mm	13 mm	26 g
SBA7400DM-16	16 mm	27 mm	22 mm	20 mm	13 mm	28 g
SBA7400DM-17	17 mm	27 mm	13.4 mm	20 mm	13 mm	30 g
SBA7400DM-18	18 mm	27 mm	24.5 mm	20 mm	13 mm	36 g

Follow the Fish!



Product		L	D1	D2	T	
SBA7400DM-19	19 mm	29 mm	25.6 mm	21 mm	14 mm	39 g
SBA7400DM-20	20 mm	29 mm	26.8 mm	24 mm	14 mm	42 g
SBA7400DM-21	21 mm	29 mm	27.9 mm	24 mm	14 mm	49 g
SBA7400DM-22	22 mm	31 mm	29.6 mm	26 mm	16 mm	50 g

