

Impact tools & bits



IMPACT TOOLS 1/4"

Hexagon sockets, metric, 1/4"



K6701M

| Size | Quantity | Part Number |
|------|----------|-------------|
| 6 | 1 | K6701M-6 |
| 7 | 1 | K6701M-7 |
| 8 | 1 | K6701M-8 |
| 9 | 1 | K6701M-9 |
| 10 | 1 | K6701M-10 |
| 11 | 1 | K6701M-11 |
| 12 | 1 | K6701M-12 |
| 13 | 1 | K6701M-13 |
| 14 | 1 | K6701M-14 |

Magnetic sockets in metric sizes



KM6701M

| Size | Quantity | Part Number |
|------|----------|-------------|
| 7 | 1 | KM6701M-7 |
| 8 | 1 | KM6701M-8 |
| 10 | 1 | KM6701M-10 |

Clamping spring



K560F-1

| Size | Quantity | Part Number |
|------|----------|-------------|
| 1/4" | 5 | K560F-1 |

IMPACT TOOLS 3/8"

Hexagon sockets, 3/8"



K7401M

| Size | Quantity | Part Number |
|------|----------|-------------|
| 7 | 1 | K7401M-7 |
| 8 | 1 | K7401M-8 |
| 9 | 1 | K7401M-9 |
| 10 | 1 | K7401M-10 |
| 11 | 1 | K7401M-11 |
| 12 | 1 | K7401M-12 |
| 13 | 1 | K7401M-13 |
| 14 | 1 | K7401M-14 |
| 15 | 1 | K7401M-15 |
| 16 | 1 | K7401M-16 |
| 17 | 1 | K7401M-17 |
| 18 | 1 | K7401M-18 |
| 19 | 1 | K7401M-19 |
| 20 | 1 | K7401M-20 |
| 21 | 1 | K7401M-21 |
| 22 | 1 | K7401M-22 |
| 24 | 1 | K7401M-24 |

3/8" hexagon impact sockets, inches



K7401Z

| Size | Quantity | Part Number |
|---------|----------|--------------|
| 3/8" in | 1 | K7401Z-3/8 |
| 3/8 in | 1 | K7401Z-7/16 |
| 3/8" in | 1 | K7401Z-1/2 |
| 3/8" in | 1 | K7401Z-9/16 |
| 3/8" in | 1 | K7401Z-5/8 |
| 3/8" in | 1 | K7401Z-11/16 |
| 3/8" in | 1 | K7401Z-3/4 |
| 3/8" in | 1 | K7401Z-13/16 |
| 3/8" in | 1 | K7401Z-7/8 |

Deep Sockets 3/8"



K7406M

| Size | Quantity | Part Number |
|------|----------|-------------|
| 10 | 1 | K7406M-10 |
| 13 | 1 | K7406M-13 |
| 17 | 1 | K7406M-17 |

3/8" hexagonal power swivel sockets, metric mm



KS7401M

| Size | Quantity | Part Number |
|------|----------|-------------|
| 9 | 1 | KS7401M-9 |
| 10 | 1 | KS7401M-10 |
| 11 | 1 | KS7401M-11 |
| 12 | 1 | KS7401M-12 |
| 13 | 1 | KS7401M-13 |
| 14 | 1 | KS7401M-14 |
| 15 | 1 | KS7401M-15 |
| 16 | 1 | KS7401M-16 |
| 17 | 1 | KS7401M-17 |
| 18 | 1 | KS7401M-18 |
| 19 | 1 | KS7401M-19 |
| 20 | 1 | KS7401M-22 |

Sockets, 3/8", TORX®



K7401TORX-E

| Size | Quantity | Part Number |
|------|----------|-----------------|
| E5 | M4 | 1 K7401TORX-E5 |
| E6 | M5 | 1 K7401TORX-E6 |
| E7 | M6 | 1 K7401TORX-E7 |
| E8 | M6, M7 | 1 K7401TORX-E8 |
| E10 | M6, M8 | 1 K7401TORX-E10 |
| E12 | M8, M10 | 1 K7401TORX-E12 |
| E14 | M10, M12 | 1 K7401TORX-E14 |

3/8 drive, E TORX® set, 7pcs



K7401TORX-E-S7



263x40x20

1 K7401TORX-E-S7

K7401TORX-E5, K7401TORX-E6,
K7401TORX-E7, K7401TORX-E8,
K7401TORX-E10, K7401TORX-E12,
K7401TORX-E14



Extension 3/8"



K7760C



75

1 K7760C-1

150

1 K7760C-2

Ball joint 3/8"



K7767S



3/8"

3/8"

1 K7767S

Adaptor of 3/8" to 1/2"



K6964C/K8164C



1/4"

3/8"

1 K6964C

1/2"

3/8"

1 K8164C

Adaptors, 3/8" hexagon bitholders



7407H-7409H



3/8"

1 7407H

3/8"

1 7408H

3/8"

1 7409H

3/8" power adaptor bitholder 1/4"



K172



1/4"

1 K172

Clamping spring



K560F-2/3



3/8"

7-12

5 K560F-2

3/8"

13-24

5 K560F-3

IMPACT TOOLS 1/2"

Ultrashort impact socket



K7800M



10

1 K7800M-10

11

1 K7800M-11

12

1 K7800M-12

13

1 K7800M-13

14

1 K7800M-14

15

1 K7800M-15

16

1 K7800M-16

17

1 K7800M-17

18

1 K7800M-18

19

1 K7800M-19

21

1 K7800M-21

22

1 K7800M-22

24

1 K7800M-24

Hexagon sockets, 1/2"



K7801M



8

1 K7801M-8

9

1 K7801M-9

10

1 K7801M-10

11

1 K7801M-11

12

1 K7801M-12

13

1 K7801M-13

14

1 K7801M-14

15

1 K7801M-15

16

1 K7801M-16

17

1 K7801M-17

18

1 K7801M-18

19

1 K7801M-19

20

1 K7801M-20

21

1 K7801M-21

22

1 K7801M-22

23

1 K7801M-23

24

1 K7801M-24

25

1 K7801M-25

26

1 K7801M-26

27

1 K7801M-27

30

1 K7801M-30

32

1 K7801M-32

34

1 K7801M-34

36

1 K7801M-36



Sockets, metric



K7801VM

| | | |
|----|---|------------|
| | | |
| 17 | 1 | K7801VM-17 |
| 19 | 1 | K7801VM-19 |
| 22 | 1 | K7801VM-22 |
| 24 | 1 | K7801VM-24 |

Hexagon socket set, metric, 1/2"



D/S14

| | | |
|----|---|-------|
| | | |
| 14 | 6 | D/S14 |

K7801M-10, K7801M-11, K7801M-12, K7801M-13, K7801M-14, K7801M-15, K7801M-16, K7801M-17, K7801M-18, K7801M-19, K7801M-21, K7801M-22, K7801M-24, K7801M-27

Long sockets in metric sizes
DD/S10: 10-19mm



DD/S10

| | | |
|----|---|--------|
| | | |
| 10 | 6 | DD/S10 |

K7806M-10, K7806M-11, K7806M-12, K7806M-13, K7806M-14, K7806M-15, K7806M-16, K7806M-17, K7806M-18, K7806M-19

Socket sets



K7801VM/S4

| | | |
|---|---|------------|
| | | |
| 4 | 1 | K7801VM/S4 |

K7801VM-17, K7801VM-19, K7801VM-22, K7801VM-24

Deep Sockets, 1/2"



K7806M

| | | |
|-------|---|-----------|
| | | |
| 10 | 1 | K7806M-10 |
| 11 | 1 | K7806M-11 |
| 12 | 1 | K7806M-12 |
| 13 | 1 | K7806M-13 |
| 14 | 1 | K7806M-14 |
| 15 mm | 1 | K7806M-15 |
| 16 | 1 | K7806M-16 |
| 17 | 1 | K7806M-17 |
| 18 | 1 | K7806M-18 |
| 19 | 1 | K7806M-19 |
| 21 | 1 | K7806M-21 |
| 22 | 1 | K7806M-22 |
| 23 | 1 | K7806M-23 |
| 24 | 1 | K7806M-24 |
| 27 | 1 | K7806M-27 |
| 30 | 1 | K7806M-30 |
| 32 | 1 | K7806M-32 |
| 36 | 1 | K7806M-36 |

Deep hexagon socket set, metric, 1/2"
DD/S14: 10-27mm



DD/S14

| | | |
|----|---|--------|
| | | |
| 14 | 4 | DD/S14 |

K7806M-10, K7806M-11, K7806M-12, K7806M-13, K7806M-14, K7806M-15, K7806M-16, K7806M-17, K7806M-18, K7806M-19, K7806M-21, K7806M-22, K7806M-24, K7806M-27

Sockets in metric sizes
D/S10: 10-19mm



D/S10

| | | |
|----|---|-------|
| | | |
| 10 | 6 | D/S10 |

K7801M-10, K7801M-11, K7801M-12, K7801M-13, K7801M-14, K7801M-15, K7801M-16, K7801M-17, K7801M-18, K7801M-19

Deep socket sets, 1/2"



K7806M/S4

| | | |
|---|---|-----------|
| | | |
| 4 | 1 | K7806M/S4 |

K7806M-17, K7806M-19, K7806M-22, K7806M-24

Mixed set of 20pcs, deep and standard impact sockets
10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm



D-DD/

| | | |
|----|---|----------|
| | | |
| 20 | 4 | D-DD/S20 |

K7801M-10, K7801M-11, K7801M-12, K7801M-13, K7801M-14, K7801M-15, K7801M-16, K7801M-17, K7801M-18, K7801M-19

K7806M-10, K7806M-11, K7806M-12, K7806M-13, K7806M-14, K7806M-16, K7806M-17, K7806M-18, K7806M-19

Hexagon sockets, 1/2"



K7801Z

| Size | Quantity | Part Number |
|--------|----------|---------------|
| 3/8 | 1 | K7801Z-3/8 |
| 7/16 | 1 | K7801Z-7/16 |
| 1/2 | 1 | K7801Z-1/2 |
| 9/16 | 1 | K7801Z-9/16 |
| 5/8 | 1 | K7801Z-5/8 |
| 11/16 | 1 | K7801Z-11/16 |
| 3/4 | 1 | K7801Z-3/4 |
| 13/16 | 1 | K7801Z-13/16 |
| 7/8 | 1 | K7801Z-7/8 |
| 15/16 | 1 | K7801Z-15/16 |
| 1 | 1 | K7801Z-1 |
| 1 1/16 | 1 | K7801Z-1.1/16 |
| 1 1/8 | 1 | K7801Z-1.1/8 |
| 1 1/4 | 1 | K7801Z-1.1/4 |
| 1 5/16 | 5 | K7801Z-1.5/16 |
| 1 3/8 | 5 | K7801Z-1.3/8 |
| 1 7/16 | 5 | K7801Z-1.7/16 |
| 1 1/2 | 5 | K7801Z-1.1/2 |

Deep sockets 1/2" inch



K7806Z

| Size | Quantity | Part Number |
|--------|----------|---------------|
| 3/8 | 10 | K7806Z-3/8 |
| 7/16 | 10 | K7806Z-7/16 |
| 1/2 | 10 | K7806Z-1/2 |
| 9/16 | 10 | K7806Z-9/16 |
| 5/8 | 5 | K7806Z-5/8 |
| 11/16 | 5 | K7806Z-11/16 |
| 3/4 | 5 | K7806Z-3/4 |
| 13/16 | 5 | K7806Z-13/16 |
| 7/8 | 5 | K7806Z-7/8 |
| 15/16 | 5 | K7806Z-15/16 |
| 1 | 5 | K7806Z-1 |
| 1 1/16 | 5 | K7806Z-1.1/16 |
| 1 1/8 | 5 | K7806Z-1.1/8 |
| 1 1/4 | 5 | K7806Z-1.1/4 |
| 1 5/16 | 5 | K7806Z-1.5/16 |
| 1 3/8 | 5 | K7806Z-1.3/8 |
| 1 7/16 | 5 | K7806Z-1.7/16 |
| 1 1/2 | 5 | K7806Z-1.1/2 |

Impact socket set 1/2" drive, inches



K7801Z/10

| Quantity | Dimensions | Part Number |
|----------|-------------------|-------------|
| 10 | 110 x 220 x 90 mm | K7801Z/10 |

K7801Z-7/16, K7801Z-1/2, K7801Z-11/16, K7801Z-5/8, K7801Z-13/16, K7801Z-3/4, K7801Z-7/8, K7801Z-15/16, K7801Z-1



K7806Z/10

| Quantity | Dimensions | Part Number |
|----------|-------------------|-------------|
| 10 | 110 x 220 x 90 mm | K7806Z/10 |

K7806Z-7/16, K7806Z-1/2, K7806Z-9/16, K7806Z-5/8, K7806Z-11/16, K7806Z-3/4, K7806Z-13/16, K7806Z-7/8, K7806Z-15/16, K7806Z-1

Sockets, 1/2", TORX®



K7801TORX-E

| Size | Quantity | Part Number |
|------|----------|---------------|
| E10 | 1 | K7801TORX-E10 |
| E12 | 1 | K7801TORX-E12 |
| E14 | 1 | K7801TORX-E14 |
| E16 | 1 | K7801TORX-E16 |
| E18 | 1 | K7801TORX-E18 |
| E20 | 1 | K7801TORX-E20 |
| E24 | 1 | K7801TORX-E24 |

Extension 1/2"



K8160D

| Length | Quantity | Part Number |
|--------|----------|-------------|
| 75 | 1 | K8160D-1 |
| 125 | 1 | K8160D-2 |
| 250 | 1 | K8160D-3 |

Ball joint 1/2"



K8167S

| Size | Quantity | Part Number |
|------|----------|-------------|
| 1/2" | 1 | K8167S |

Adaptor of 1/2" to 3/4"



K7764D/K8964D

| Size | Quantity | Part Number |
|------|----------|-------------|
| 3/8" | 1 | K7764D |
| 3/4" | 1 | K8964D |

Bit holding adaptor, male, 11mm



7807H-7809H

| Size | Quantity | Part Number |
|------|----------|-------------|
| 1/2" | 1 | 7807H |
| 1/2" | 1 | 7808H |
| 1/2" | 1 | 7809H |



Clamping spring



K560F-4/5

| 1/2" | 10-14 | 5 K560F-4 |
|------|-------|-----------|
| 1/2" | 15-32 | 5 K560F-5 |

1/2" Hexagonal tip socket driver



7993S

| 5 | 1 | 7993S0050 |
|----|---|-----------|
| 6 | 1 | 7993S0060 |
| 8 | 1 | 7993S0080 |
| 10 | 1 | 7993S0100 |
| 12 | 1 | 7993S0120 |
| 14 | 1 | 7993S0140 |
| 17 | 1 | 7993S0170 |
| 19 | 1 | 7993S0190 |

1/2" Torx bit socket driver



7994S

| T-30 | 1 | 7994S0300 |
|------|---|-----------|
| T-40 | 1 | 7994S0400 |
| T-45 | 1 | 7994S0450 |
| T-50 | 1 | 7994S0500 |
| T-55 | 1 | 7994S0550 |
| T-60 | 1 | 7994S0600 |

IMPACT TOOLS 3/4"

Hexagon sockets, metric, 3/4"



K8901M

| 17 | 1 | K8901M-17 |
|----|---|-----------|
| 18 | 1 | K8901M-18 |
| 19 | 1 | K8901M-19 |
| 21 | 1 | K8901M-21 |
| 22 | 1 | K8901M-22 |
| 23 | 1 | K8901M-23 |
| 24 | 1 | K8901M-24 |
| 27 | 1 | K8901M-27 |
| 28 | 1 | K8901M-28 |
| 29 | 1 | K8901M-29 |
| 30 | 1 | K8901M-30 |
| 32 | 1 | K8901M-32 |
| 33 | 1 | K8901M-33 |
| 34 | 1 | K8901M-34 |
| 36 | 1 | K8901M-36 |
| 38 | 1 | K8901M-38 |
| 41 | 1 | K8901M-41 |
| 46 | 1 | K8901M-46 |
| 50 | 1 | K8901M-50 |
| 55 | 1 | K8901M-55 |
| 60 | 1 | K8901M-60 |

Hexagon sockets, 3/4", inch



K8901Z

| 11/16 | 1 | K8901Z-11/16 |
|---------|---|----------------|
| 3/4 | 1 | K8901Z-3/4 |
| 13/16 | 1 | K8901Z-13/16 |
| 7/8 | 1 | K8901Z-7/8 |
| 15/16 | 1 | K8901Z-15/16 |
| 1 | 1 | K8901Z-1 |
| 1 1/16 | 1 | K8901Z-1.1/16 |
| 1 1/8 | 1 | K8901Z-1.1/8 |
| 1 3/16 | 1 | K8901Z-1.3/16 |
| 1 1/4 | 1 | K8901Z-1.1/4 |
| 1 5/16 | 1 | K8901Z-1.5/16 |
| 1 3/8 | 1 | K8901Z-1.3/8 |
| 1 7/16 | 1 | K8901Z-1.7/16 |
| 1 1/2 | 1 | K8901Z-1.1/2 |
| 1 9/16 | 1 | K8901Z-1.9/16 |
| 1 5/8 | 1 | K8901Z-1.5/8 |
| 1 11/16 | 1 | K8901Z-1.11/16 |
| 1 3/4 | 1 | K8901Z-1.3/4 |

| 1 13/16 | 1 | K8901Z-1.13/16 |
|---------|---|----------------|
| 1 7/8 | 1 | K8901Z-1.7/8 |
| 1 15/16 | 1 | K8901Z-1.15/16 |
| 2 | 1 | K8901Z-2 |
| 2 1/16 | 1 | K8901Z-2.1/16 |
| 2 3/16 | 1 | K8901Z-2.3/16 |
| 2 1/4 | 1 | K8901Z-2.1/4 |
| 2 3/8 | 1 | K8901Z-2.3/8 |

Deep sockets, metric 3/4"



K8906M

| 17 | 1 | K8906M-17 |
|----|---|-----------|
| 19 | 1 | K8906M-19 |
| 21 | 1 | K8906M-21 |
| 22 | 1 | K8906M-22 |
| 24 | 1 | K8906M-24 |
| 27 | 1 | K8906M-27 |
| 30 | 1 | K8906M-30 |
| 32 | 1 | K8906M-32 |
| 33 | 1 | K8906M-33 |
| 34 | 1 | K8906M-34 |
| 36 | 1 | K8906M-36 |
| 41 | 1 | K8906M-41 |
| 46 | 1 | K8906M-46 |

Deep Sockets 3/4", Inch



K8906Z

| 3/4 | 1 | K8906Z-3/4 |
|--------|---|---------------|
| 13/16 | 1 | K8906Z-13/16 |
| 7/8 | 1 | K8906Z-7/8 |
| 15/16 | 1 | K8906Z-15/16 |
| 1 | 1 | K8906Z-1 |
| 1 1/16 | 1 | K8906Z-1.1/16 |
| 1.1/8 | 1 | K8906Z-1.1/8 |
| 1.1/4 | 1 | K8906Z-1.1/4 |
| 1.5/16 | 1 | K8906Z-1.5/16 |
| 1.3/8 | 1 | K8906Z-1.3/8 |
| 1.7/16 | 1 | K8906Z-1.7/16 |
| 1.1/2 | 1 | K8906Z-1.1/2 |
| 1.5/8 | 1 | K8906Z-1.5/8 |
| 1.3/4 | 1 | K8906Z-1.3/4 |
| 2 | 1 | K8906Z-2 |

Impact socket set 3/4" drive



K8901M/8

| | | | |
|---|--------------------|---|----------|
| | | | |
| 8 | 125 x 250 x 110 mm | 1 | K8901M/8 |

K8901M-21, K8901M-22, K8901M-24,
K8901M-27, K8901M-30, K8901M-32,
K8901M-36, K8901M-41

Impact socket set 3/4" drive, inch



K8901Z/8

| | | | |
|---|--------------------|---|----------|
| | | | |
| 8 | 125 x 250 x 110 mm | 1 | K8901Z/8 |

K8901Z-1, K8901Z-1.1/16,
K8901Z-1.1/8, K8901Z-1.1/4,
K8901Z-1.5/16, K8901Z-1.3/8,
K8901Z-1.7/16, K8901Z-1.1/2

Deep impact socket set 3/4" drive, metric



K8906M/8

| | | | |
|---|--------------------|---|----------|
| | | | |
| 8 | 125 x 250 x 110 mm | 1 | K8906M/8 |

K8906M-21, K8906M-22, K8906M-24,
K8906M-27, K8906M-30, K8906M-32,
K8906M-36, K8906M-41

Deep impact socket set 3/4" drive, inch



K8906Z/8

| | | | |
|---|--------------------|---|----------|
| | | | |
| 8 | 125 x 250 x 110 mm | 1 | K8906Z/8 |

K8906Z-1, K8906Z-1.1/16,
K8906Z-1.1/8, K8906Z-1.1/4,
K8906Z-1.5/16, K8906Z-1.3/8,
K8906Z-1.7/16, K8906Z-1.1/2

Extension 3/4"



K8960F

| | | |
|-----|----|----------|
| | | |
| 175 | 1 | K8960F-2 |
| 250 | 1 | K8960F-3 |
| 325 | 10 | K8960F-4 |

Ball joint 3/4"



K8967S

| | | |
|------|------|----------|
| | | |
| 3/4" | 3/4" | 1 K8967S |

Adaptor of 3/4" to 1"



K8164F/K9564F

| | | |
|------|------|----------|
| | | |
| 1/2" | 3/4" | 1 K8164F |
| 1" | 3/4" | 1 K9564F |

Adaptor, hexagon bitholder male 22mm



K8909H

| | | |
|----|------|------------|
| | | |
| 22 | 3/4" | 1 K8909H-5 |

3/4" Hexagonal tip socket driver



7993T

| | | |
|----|---|-----------|
| | | |
| 12 | 1 | 7993T0120 |
| 14 | 1 | 7993T0140 |
| 17 | 1 | 7993T0170 |
| 19 | 1 | 7993T0190 |
| 22 | 1 | 7993T0220 |
| 24 | 1 | 7993T0240 |



Clamping spring



K560F-6

| | | | |
|------|-------|---|---------|
| | | | |
| 3/4" | 17-46 | 5 | K560F-6 |

IMPACT TOOLS 1"

Hexagon sockets 1"



K9501M

| | | |
|-------|---|-----------|
| | | |
| 22 | 1 | K9501M-22 |
| 24 | 1 | K9501M-24 |
| 27 | 1 | K9501M-27 |
| 30 | 1 | K9501M-30 |
| 32 | 1 | K9501M-32 |
| 33 | 1 | K9501M-33 |
| 34 | 1 | K9501M-34 |
| 36 | 1 | K9501M-36 |
| 38 | 1 | K9501M-38 |
| 41 | 1 | K9501M-41 |
| 42 | 1 | K9501M-42 |
| 46 | 1 | K9501M-46 |
| 50 | 1 | K9501M-50 |
| 55 | 1 | K9501M-55 |
| 60 | 1 | K9501M-60 |
| 65 | 1 | K9501M-65 |
| 70 | 1 | K9501M-70 |
| 75 | 1 | K9501M-75 |
| 80 | 1 | K9501M-80 |
| 85 mm | 1 | K9501M-85 |

Hexagon sockets 1", inch



K9501Z

| | | |
|--------|---|---------------|
| | | |
| 1 | 1 | K9501Z-1 |
| 1 1/16 | 1 | K9501Z-1.1/16 |
| 1 1/8 | 1 | K9501Z-1.1/8 |



| | | |
|---------|---|----------------|
| 1 3/16 | 1 | K9501Z-1.3/16 |
| 1 1/4 | 1 | K9501Z-1.1/4 |
| 1 5/16 | 1 | K9501Z-1.5/16 |
| 1 3/8 | 1 | K9501Z-1.3/8 |
| 1 7/16 | 1 | K9501Z-1.7/16 |
| 1 1/2 | 1 | K9501Z-1.1/2 |
| 1 9/16 | 1 | K9501Z-1.9/16 |
| 1 5/8 | 1 | K9501Z-1.5/8 |
| 1 11/16 | 1 | K9501Z-1.11/16 |
| 1 3/4 | 1 | K9501Z-1.3/4 |
| 1 13/16 | 1 | K9501Z-1.13/16 |
| 1 7/8 | 1 | K9501Z-1.7/8 |
| 15/16 | 1 | K9501Z-1.15/16 |
| 2 | 1 | K9501Z-2 |
| 2 1/8 | 1 | K9501Z-2.1/8 |
| 2 3/16 | 1 | K9501Z-2.3/16 |
| 2 1/4 | 1 | K9501Z-2.1/4 |
| 2 5/16 | 1 | K9501Z-2.5/16 |
| 2 9/16 | 1 | K9501Z-2.9/16 |
| 2 3/4 | 1 | K9501Z-2.3/4 |

Deep sockets, 1"



K9506M

| | | |
|----|---|-----------|
| | | |
| 22 | 1 | K9506M-22 |
| 24 | 1 | K9506M-24 |
| 27 | 1 | K9506M-27 |
| 30 | 1 | K9506M-30 |
| 32 | 1 | K9506M-32 |
| 33 | 1 | K9506M-33 |
| 34 | 1 | K9506M-34 |
| 36 | 1 | K9506M-36 |
| 38 | 1 | K9506M-38 |
| 41 | 1 | K9506M-41 |
| 46 | 1 | K9506M-46 |
| 50 | 1 | K9506M-50 |
| 55 | 1 | K9506M-55 |
| 60 | 1 | K9506M-60 |

Deep Sockets 1", Inch



K9506Z

| | | |
|--------|---|---------------|
| | | |
| 1 | 1 | K9506Z-1 |
| 1 1/16 | 1 | K9506Z-1.1/16 |
| 1 3/16 | 1 | K9506Z-1.3/16 |
| 1 1/4 | 1 | K9506Z-1.1/4 |
| 1 7/16 | 1 | K9506Z-1.7/16 |



| | | |
|---------|---|----------------|
| 1 1/2 | 1 | K9506Z-1.1/2 |
| 1 5/8 | 1 | K9506Z-1.5/8 |
| 1 13/16 | 1 | K9506Z-1.13/16 |
| 1 7/8 | 1 | K9506Z-1.7/8 |

Extension 1"



K9560G

| | | |
|-----|---|----------|
| | | |
| 100 | 1 | K9560G-0 |
| 125 | 1 | K9560G-1 |
| 175 | 1 | K9560G-2 |
| 325 | 1 | K9560G-3 |
| 300 | 1 | K9560G-4 |
| 400 | 1 | K9560G-5 |

Ball joint 1"



K9567S

| | | | |
|----|----|---|--------|
| | | | |
| 1" | 1" | 1 | K9567S |

Adaptors of 1" to 3/4" and 1 1/2"



K8964G/K9895G

| | | | |
|--------|----|---|--------|
| | | | |
| 3/4" | 1" | 1 | K8964G |
| 1 1/2" | 1" | 1 | K9895G |

Adaptor, hexagon bitholder 22mm



K9509H5

| | | | |
|----|----|---|---------|
| | | | |
| 22 | 1" | 1 | K9509H5 |

1" Hexagonal tip socket driver



7993M

| | | |
|----|---|-----------|
| | | |
| 17 | 1 | 7993M0170 |
| 19 | 1 | 7993M0190 |
| 22 | 1 | 7993M0220 |
| 27 | 1 | 7993M0270 |

22mm screwdriver bit



K8909ML/K9509ML

| | | |
|----|---|------------|
| | | |
| 12 | 1 | K8909ML-12 |
| 14 | 1 | K8909ML-14 |
| 17 | 1 | K8909ML-17 |
| 19 | 1 | K9509ML-19 |
| 22 | 1 | K9509ML-22 |
| 24 | 1 | K9509ML-24 |

Clamping spring



K560F-7/8

| | | | |
|------------|---------------|---|---------|
| | | | |
| 1" | 19-70 | 5 | K560F-7 |
| 1 & 1 1/2" | 75-80 & 46-90 | 5 | K560F-8 |

IMPACT TOOLS 1.1/2"

Impact sockets 1.1/2"



K9801M

| | | |
|-----|---|------------|
| | | |
| 46 | 1 | K9801M-46 |
| 50 | 1 | K9801M-50 |
| 55 | 1 | K9801M-55 |
| 60 | 1 | K9801M-60 |
| 65 | 1 | K9801M-65 |
| 70 | 1 | K9801M-70 |
| 75 | 1 | K9801M-75 |
| 80 | 1 | K9801M-80 |
| 85 | 1 | K9801M-85 |
| 90 | 1 | K9801M-90 |
| 95 | 1 | K9801M-95 |
| 100 | 1 | K9801M-100 |
| 105 | 1 | K9801M-105 |
| 110 | 1 | K9801M-110 |
| 115 | 1 | K9801M-115 |
| 120 | 1 | K9801M-120 |
| 125 | 1 | K9801M-125 |
| 130 | 1 | K9801M-130 |
| 135 | 1 | K9801M-135 |
| 140 | 1 | K9801M-140 |
| 145 | 1 | K9801M-145 |
| 150 | 1 | K9801M-150 |
| 155 | 1 | K9801M-155 |

Impact sockets 1.1/2", inch
Manufactured on demand



K9801Z

| | | |
|---------|---|----------------|
| | | |
| 1 3/8 | 1 | K9801Z-1.3/8 |
| 1 7/16 | 1 | K9801Z-1.7/16 |
| 1 1/2 | 1 | K9801Z-1.1/2 |
| 1 9/16 | 1 | K9801Z-1.9/16 |
| 1 5/8 | 1 | K9801Z-1.5/8 |
| 1 11/16 | 1 | K9801Z-1.11/16 |
| 1 3/4 | 1 | K9801Z-1.3/4 |
| 1 13/16 | 1 | K9801Z-1.13/16 |
| 1 7/8 | 1 | K9801Z-1.7/8 |
| 1 15/16 | 1 | K9801Z-1.15/16 |
| 2 | 1 | K9801Z-2 |
| 2 1/16 | 1 | K9801Z-2.1/16 |
| 2 1/8 | 1 | K9801Z-2.1/8 |
| 2 3/16 | 1 | K9801Z-2.3/16 |
| 2 1/4 | 1 | K9801Z-2.1/4 |
| 2 5/16 | 1 | K9801Z-2.5/16 |
| 2 3/8 | 1 | K9801Z-2.3/8 |
| 2 7/16 | 1 | K9801Z-2.7/16 |
| 2 1/2 | 1 | K9801Z-2.1/2 |
| 2 9/16 | 1 | K9801Z-2.9/16 |
| 2 5/8 | 1 | K9801Z-2.5/8 |
| 2 11/16 | 1 | K9801Z-2.11/16 |
| 2 3/4 | 1 | K9801Z-2.3/4 |
| 2 13/16 | 1 | K9801Z-2.13/16 |
| 2 7/8 | 1 | K9801Z-2.7/8 |
| 2 15/16 | 1 | K9801Z-2.15/16 |
| 3 | 1 | K9801Z-3 |
| 3 1/16 | 1 | K9801Z-3.1/16 |
| 3 1/8 | 1 | K9801Z-3.1/8 |
| 3 1/4 | 1 | K9801Z-3.1/4 |
| 3 5/16 | 1 | K9801Z-3.5/16 |
| 3 3/8 | 1 | K9801Z-3.3/8 |
| 3 7/16 | 1 | K9801Z-3.7/16 |
| 3 1/2 | 1 | K9801Z-3.1/2 |
| 3 9/16 | 1 | K9801Z-3.9/16 |
| 3 5/8 | 1 | K9801Z-3.5/8 |
| 3 11/16 | 1 | K9801Z-3.11/16 |
| 3 3/4 | 1 | K9801Z-3.3/4 |
| 3 13/16 | 1 | K9801Z-3.13/16 |
| 3 7/8 | 1 | K9801Z-3.7/8 |
| 3 15/16 | 1 | K9801Z-3.15/16 |
| 4 | 1 | K9801Z-4 |
| 4 1/16 | 1 | K9801Z-4.1/16 |
| 4 1/8 | 1 | K9801Z-4.1/8 |
| 4 1/4 | 1 | K9801Z-4.1/4 |
| 4 5/16 | 1 | K9801Z-4.5/16 |
| 4 3/8 | 1 | K9801Z-4.3/8 |
| 4 7/16 | 1 | K9801Z-4.7/16 |
| 4 1/2 | 1 | K9801Z-4.1/2 |
| 4 5/8 | 1 | K9801Z-4.5/8 |
| 4 3/4 | 1 | K9801Z-4.3/4 |



Impact Deep sockets, 1.1/2", mm
Manufactured on demand



K9806M

| 41 | 1 | K9806M-41 |
|-----|---|------------|
| 46 | 1 | K9806M-46 |
| 50 | 1 | K9806M-50 |
| 55 | 1 | K9806M-55 |
| 60 | 1 | K9806M-60 |
| 65 | 1 | K9806M-65 |
| 70 | 1 | K9806M-70 |
| 75 | 1 | K9806M-75 |
| 80 | 1 | K9806M-80 |
| 85 | 1 | K9806M-85 |
| 90 | 1 | K9806M-90 |
| 95 | 1 | K9806M-95 |
| 100 | 1 | K9806M-100 |
| 105 | 1 | K9806M-105 |
| 110 | 1 | K9806M-110 |
| 115 | 1 | K9806M-115 |
| 120 | 1 | K9806M-120 |

Impact Deep sockets, 1.1/2", inch
Manufactured on demand



K9806Z

| 1 3/8 | 1 | K9806Z-1.3/8 |
|---------|---|----------------|
| 1 7/16 | 1 | K9806Z-1.7/16 |
| 1 1/2 | 1 | K9806Z-1.1/2 |
| 1 5/8 | 1 | K9806Z-1.5/8 |
| 1 11/16 | 1 | K9806Z-1.11/16 |
| 2 | 1 | K9806Z-2 |
| 2 1/16 | 1 | K9806Z-2.1/16 |
| 2 3/16 | 1 | K9806Z-2.3/16 |
| 2 1/4 | 1 | K9806Z-2.1/4 |
| 2 5/16 | 1 | K9806Z-2.5/16 |
| 2 3/8 | 1 | K9806Z-2.3/8 |
| 2 7/16 | 1 | K9806Z-2.7/16 |
| 2 1/2 | 1 | K9806Z-2.1/2 |
| 2 9/16 | 1 | K9806Z-2.9/16 |
| 2 5/8 | 1 | K9806Z-2.5/8 |
| 2 11/16 | 1 | K9806Z-2.11/16 |
| 2 3/4 | 1 | K9806Z-2.3/4 |
| 2 13/16 | 1 | K9806Z-2.13/16 |
| 2 7/8 | 1 | K9806Z-2.7/8 |
| 2 15/16 | 1 | K9806Z-2.15/16 |
| 3 | 1 | K9806Z-3 |

| 3 1/16 | 1 | K9806Z-3.1/16 |
|---------|---|----------------|
| 3 1/8 | 1 | K9806Z-3.1/8 |
| 3 3/16 | 1 | K9806Z-3.3/16 |
| 3 1/4 | 1 | K9806Z-3.1/4 |
| 3 5/16 | 1 | K9806Z-3.5/16 |
| 3 3/8 | 1 | K9806Z-3.3/8 |
| 3 7/16 | 1 | K9806Z-3.7/16 |
| 3 1/2 | 1 | K9806Z-3.1/2 |
| 3 9/16 | 1 | K9806Z-3.9/16 |
| 3 5/8 | 1 | K9806Z-3.5/8 |
| 3 11/16 | 1 | K9806Z-3.11/16 |
| 3 3/4 | 1 | K9806Z-3.3/4 |
| 3 13/16 | 1 | K9806Z-3.13/16 |
| 3 7/8 | 1 | K9806Z-3.7/8 |
| 3 15/16 | 1 | K9806Z-3.15/16 |
| 4 | 1 | K9806Z-4 |
| 4 1/16 | 1 | K9806Z-4.1/16 |
| 4 1/8 | 1 | K9806Z-4.1/8 |
| 4 1/4 | 1 | K9806Z-4.1/4 |
| 4 5/16 | 1 | K9806Z-4.5/16 |
| 4 3/8 | 1 | K9806Z-4.3/8 |
| 4 1/2 | 1 | K9806Z-4.1/2 |
| 4 5/8 | 1 | K9806Z-4.5/8 |
| 4 3/4 | 1 | K9806Z-4.3/4 |

1.1/2" Impact Extensions



K9860H

| 200 | 1 | K9860H-1 |
|-----|---|----------|
| 300 | 1 | K9860H-2 |
| 400 | 1 | K9860H-3 |

Impact Ball Joint 1 1/2"



K9867S

| 1 1/2 | 1 | K9867S |
|-------|---|--------|

Adaptors of 1 1/2" to 1" and 2 1/2"



K9598H/K9998H

| 1 | 1 1/2 | 1 K9598H |
|-------|-------|----------|
| 2 1/2 | 1 1/2 | 1 K9998H |
| 1 1/2 | 2 1/2 | 1 K9899H |

Clamping spring



K560F-9

| 1 1/2" | 95-120 | 5 K560F-9 |
|--------|--------|-----------|

DIAMOND TORSION BITS 1/4"

Diamond bit for Phillips head screws, 25mm, in plastic box of 5 pcs



63D/PH

| 1 | | 1 63D/PH1 |
|---|--|-----------|
| 2 | | 1 63D/PH2 |
| 3 | | 1 63D/PH3 |

Blister pack of 2 Phillips Diamond bits, 25mm



63D/PH 2P

| + | | + | |
|---|---|------------|--|
| 1 | 1 | 63D/PH1-2P | |
| 2 | 1 | 63D/PH2-2P | |
| 3 | 1 | 63D/PH3-2P | |

Bit for Phillips dry wall head screws, 25mm, in plastic box of 5 pcs



63D/PH2G

| + | | + | |
|------|---|----------|--|
| PH2G | 1 | 63D/PH2G | |

Blister pack of 2 Phillips Diamond bits for dry wall screws, 25mm



63D/PH2G-2P

| + | | + | |
|------|---|-------------|--|
| PH2G | 1 | 63D/PH2G-2P | |

Diamond bit for Phillips screws, 50mm, in plastic box of 5 pcs



63D/50PH

| + | | + | |
|---|---|-----------|--|
| 1 | 1 | 63D/50PH1 | |
| 2 | 1 | 63D/50PH2 | |
| 3 | 1 | 63D/50PH3 | |

Diamond bit for Pozidriv head screws, 25mm, in plastic box of 5 pcs



63D/PZ

| + | | + | |
|---|---|---------|--|
| 1 | 1 | 63D/PZ1 | |
| 2 | 1 | 63D/PZ2 | |
| 3 | 1 | 63D/PZ3 | |

Blister pack of 2 Pozidriv Diamond bits, 25mm



63D/PZ 2P

| + | | + | |
|---|---|------------|--|
| 1 | 1 | 63D/PZ1-2P | |
| 2 | 1 | 63D/PZ2-2P | |
| 3 | 1 | 63D/PZ3-2P | |

Diamond bit for Pozidriv screws, 50mm, in plastic box of 5 pcs



63D/50PZ

| + | | + | |
|---|---|-----------|--|
| 1 | 1 | 63D/50PZ1 | |
| 2 | 1 | 63D/50PZ2 | |
| 3 | 1 | 63D/50PZ3 | |

Diamond bit for TORX® head screws, 25mm, in plastic box of 5 pcs



63D/T

| + | | + | |
|-----|---|---------|--|
| T10 | 1 | 63D/T10 | |
| T15 | 1 | 63D/T15 | |
| T20 | 1 | 63D/T20 | |
| T25 | 1 | 63D/T25 | |
| T30 | 1 | 63D/T30 | |
| T40 | 1 | 63D/T40 | |

Blister pack of 2 TORX® Diamond bits, 25mm



63D/T 2P

| + | | + | |
|-----|---|------------|--|
| T10 | 1 | 63D/T10-2P | |
| T15 | 1 | 63D/T15-2P | |
| T20 | 1 | 63D/T20-2P | |
| T25 | 1 | 63D/T25-2P | |
| T30 | 1 | 63D/T30-2P | |
| T40 | 1 | 63D/T40-2P | |






TIN TORSION BITS 1/4"

Tin bit for Phillips head screws, 25mm, in plastic box of 10 pcs






62TIN/PH

|    | |
|--|-------------|
| 1 | 1 62TIN/PH1 |
| 2 | 1 62TIN/PH2 |
| 3 | 1 62TIN/PH3 |

Tin bit for Phillips head screws, 25mm, in blister pack of 2 pcs






62TIN/PH 2P

|    | |
|--|----------------|
| 1 | 1 62TIN/PH1-2P |
| 2 | 1 62TIN/PH2-2P |
| 3 | 1 62TIN/PH3-2P |

Tin bit for Phillips head screws, 50mm, in plastic box of 5 pcs






62TIN/50PH

|    | |
|--|---------------|
| 1 | 1 62TIN/50PH1 |
| 2 | 1 62TIN/50PH2 |
| 3 | 1 62TIN/50PH3 |

Tin bit for Phillips head screws, 50mm, in blister pack of 2 pcs






62TIN/50PH 2P

|    | |
|---|------------------|
| 1 | 1 62TIN/50PH1-2P |
| 2 | 1 62TIN/50PH2-2P |
| 3 | 1 62TIN/50PH3-2P |

Tin bit for Pozidriv head screws, 25mm, in plastic box of 10 pcs



62TIN/PZ

|    | |
|---|-------------|
| 1 | 1 62TIN/PZ1 |
| 2 | 1 62TIN/PZ2 |
| 3 | 1 62TIN/PZ3 |

Blister pack of 2 Pozidriv Tin bits, 25mm



62TIN/PZ 2P

|    | |
|---|----------------|
| 1 | 1 62TIN/PZ1-2P |
| 2 | 1 62TIN/PZ2-2P |
| 3 | 1 62TIN/PZ3-2P |

Tin bit for Pozidriv head screws, 50mm, in plastic box of 5 pcs






62TIN/50PZ

|    | |
|---|---------------|
| 1 | 1 62TIN/50PZ1 |
| 2 | 1 62TIN/50PZ2 |
| 3 | 1 62TIN/50PZ3 |

Tin bit for Pozidriv head screws, 50mm, in blister pack of 2 pcs






62TIN/50PZ 2P

|    | |
|---|------------------|
| 1 | 1 62TIN/50PZ1-2P |
| 2 | 1 62TIN/50PZ2-2P |
| 3 | 1 62TIN/50PZ3-2P |

Tin bit for TORX® head screws, 25mm, in plastic box of 10 pcs



62TIN/T

|    | |
|---|-------------|
| T10 | 1 62TIN/T10 |
| T15 | 1 62TIN/T15 |
| T20 | 1 62TIN/T20 |
| T25 | 1 62TIN/T25 |
| T30 | 1 62TIN/T30 |
| T40 | 1 62TIN/T40 |

Tin bit for TORX® head screws, 25mm, in blister pack of 2 pcs



62TIN/T 2P

| | |
|-----|----------------|
| | |
| T10 | 1 62TIN/T10-2P |
| T15 | 1 62TIN/T15-2P |
| T20 | 1 62TIN/T20-2P |
| T25 | 1 62TIN/T25-2P |
| T30 | 1 62TIN/T30-2P |
| T40 | 1 62TIN/T40-2P |

Torsion bit for Pozidriv head screws, 25mm, in plastic box of 10pcs



60T/PZ

| | |
|---|-----------|
| | |
| 1 | 1 60T/PZ1 |
| 2 | 1 60T/PZ2 |
| 3 | 1 60T/PZ3 |

Blister pack of 2 bits TORX® Torsion bits, 25mm



60T/T 2P

| | |
|-----|--------------|
| | |
| T10 | 1 60T/T10-2P |
| T15 | 1 60T/T15-2P |
| T20 | 1 60T/T20-2P |
| T25 | 1 60T/T25-2P |
| T30 | 1 60T/T30-2P |
| T40 | 1 60T/T40-2P |

TORSION BITS 1/4"

Torsion bit for Phillips head screws, 25mm, in plastic box of 10pcs



60T/PH

| | |
|---|-----------|
| | |
| 1 | 1 60T/PH1 |
| 2 | 1 60T/PH2 |
| 3 | 1 60T/PH3 |

Blister pack of 2 Pozidriv Torsion bits, 25mm



60T/PZ 2P

| | |
|---|--------------|
| | |
| 1 | 1 60T/PZ1-2P |
| 2 | 1 60T/PZ2-2P |
| 3 | 1 60T/PZ3-2P |

EXTRA HARD TORSION BITS 1/4"

Extra hard bit for Phillips head screws, 25mm, in plastic box of 10 pcs (PH3 is packed in 5pcs)



61H/PH

| | |
|---|-----------|
| | |
| 1 | 1 61H/PH1 |
| 2 | 1 61H/PH2 |
| 3 | 1 61H/PH3 |

Blister pack of 2 Phillips Torsion bits, 25mm



60T/PH 2P

| | |
|---|--------------|
| | |
| 1 | 1 60T/PH1-2P |
| 2 | 1 60T/PH2-2P |
| 3 | 1 60T/PH3-2P |

Torsion bit for TORX® head screws, 25mm, in plastic box of 10pcs



60T/T

| | |
|-----|-----------|
| | |
| T7 | 1 60T/T7 |
| T8 | 1 60T/T8 |
| T9 | 1 60T/T9 |
| T10 | 1 60T/T10 |
| T15 | 1 60T/T15 |
| T20 | 1 60T/T20 |
| T25 | 1 60T/T25 |
| T27 | 1 60T/T27 |
| T30 | 1 60T/T30 |
| T40 | 1 60T/T40 |

Blister pack of 2 Phillips Extra hard bits, 25mm



61H/PH 2P

| | |
|---|--------------|
| | |
| 1 | 1 61H/PH1-2P |
| 2 | 1 61H/PH2-2P |
| 3 | 1 61H/PH3-2P |



Extra hard bit for Phillips head screws, 50mm, in plastic box of 5pcs



61H/50PH

| + | | ☐ | | ☉ | |
|---|---|-----------|--|---|--|
| 1 | 1 | 61H/50PH1 | | | |
| 2 | 1 | 61H/50PH2 | | | |
| 3 | 1 | 61H/50PH3 | | | |

Extra hard bit for Phillips head screws, 50mm, in blister pack of 2 pcs



61H/50PH 2P

| + | | ☐ | | ☉ | |
|---|---|--------------|--|---|--|
| 1 | 1 | 61H/50PH1-2P | | | |
| 2 | 1 | 61H/50PH2-2P | | | |
| 3 | 1 | 61H/50PH3-2P | | | |

Extra hard bit for Pozidriv head screws, 25mm, in plastic box of 10 pcs (PH3 is packed in 5pcs)



61H/PZ

| + | | ☐ | | ☉ | |
|---|---|---------|--|---|--|
| 1 | 1 | 61H/PZ1 | | | |
| 2 | 1 | 61H/PZ2 | | | |
| 3 | 1 | 61H/PZ3 | | | |

Blister pack of 2 Pozidriv Extra hard bits, 25mm



61H/PZ 2P

| + | | ☐ | | ☉ | |
|---|---|------------|--|---|--|
| 1 | 1 | 61H/PZ1-2P | | | |
| 2 | 1 | 61H/PZ2-2P | | | |
| 3 | 1 | 61H/PZ3-2P | | | |

Extra hard bit for Pozidriv head screws, 50mm, in plastic box of 5pcs



61H/50PZ

| + | | ☐ | | ☉ | |
|---|---|-----------|--|---|--|
| 1 | 1 | 61H/50PZ1 | | | |
| 2 | 1 | 61H/50PZ2 | | | |
| 3 | 1 | 61H/50PZ3 | | | |

Extra hard bit for Pozidriv head screws, 50mm, in blister pack of 2 pcs



61H/50PZ 2P

| + | | ☐ | | ☉ | |
|---|---|--------------|--|---|--|
| 1 | 1 | 61H/50PZ1-2P | | | |
| 2 | 1 | 61H/50PZ2-2P | | | |
| 3 | 1 | 61H/50PZ3-2P | | | |

Extra hard bit for TORX® head screws, 25mm, in plastic box of 10pcs (T40 is packed in 5pcs)



61H/T

| + | | ☐ | | ☉ | |
|-----|---|---------|--|---|--|
| T10 | 1 | 61H/T10 | | | |
| T15 | 1 | 61H/T15 | | | |
| T20 | 1 | 61H/T20 | | | |
| T25 | 1 | 61H/T25 | | | |
| T30 | 1 | 61H/T30 | | | |
| T40 | 1 | 61H/T40 | | | |

Extra hard bit for TORX® head screws, 25mm, in blister pack of 2 pcs



61H/T 2P

| + | | ☐ | | ☉ | |
|-----|---|------------|--|---|--|
| T10 | 1 | 61H/T10-2P | | | |
| T15 | 1 | 61H/T15-2P | | | |
| T20 | 1 | 61H/T20-2P | | | |
| T25 | 1 | 61H/T25-2P | | | |
| T30 | 1 | 61H/T30-2P | | | |
| T40 | 1 | 61H/T40-2P | | | |

Extra hard bit for TORX® head screws, 50mm, in plastic box of 5 pcs



61H/50T

| + | | ☐ | | ☉ | |
|-----|---|-----------|--|---|--|
| T10 | 1 | 61H/50T10 | | | |
| T15 | 1 | 61H/50T15 | | | |
| T20 | 1 | 61H/50T20 | | | |
| T25 | 1 | 61H/50T25 | | | |
| T30 | 1 | 61H/50T30 | | | |
| T40 | 1 | 61H/50T40 | | | |

Extra hard bit for TORX® head screws, 50mm, in blister pack of 2 pcs



61H/50T 2P

| T10 | 1 | 61H/50T10-2P |
|-----|---|--------------|
| T15 | 1 | 61H/50T15-2P |
| T20 | 1 | 61H/50T20-2P |
| T25 | 1 | 61H/50T25-2P |
| T30 | 1 | 61H/50T30-2P |
| T40 | 1 | 61H/50T40-2P |

ACR TORSION BITS 1/4"

ACR bit for Phillips head screws, 25mm, in plastic box of 10 pcs



64A/PH

| 1 | 1 | 64A/PH1 |
|---|---|---------|
| 2 | 1 | 64A/PH2 |
| 3 | 1 | 64A/PH3 |

Blister pack of 2 Phillips ACR bits, 25mm



64A/PH 2P

| 1 | 1 | 64A/PH1-2P |
|---|---|------------|
| 2 | 1 | 64A/PH2-2P |
| 3 | 1 | 64A/PH3-2P |

ACR bit for Pozidriv head screws, 25mm, in plastic box of 10 pcs



64A/PZ

| 1 | 1 | 64A/PZ1 |
|---|---|---------|
| 2 | 1 | 64A/PZ2 |
| 3 | 1 | 64A/PZ3 |

Blister pack of 2 Pozidriv ACR bits, 25mm



64A/PZ 2P

| 1 | 1 | 64A/PZ1-2P |
|---|---|------------|
| 2 | 1 | 64A/PZ2-2P |
| 3 | 1 | 64A/PZ3-2P |

STANDARD BITS 1/4"

Bit for Slotted head screws, 25mm, in plastic box of 10pcs



59S/

| 0.5 | 3.0 | 1 59S/0.5-3.0 |
|-----|-----|---------------|
| 0.6 | 3.5 | 1 59S/0.6-3.5 |
| 0.5 | 4.0 | 1 59S/0.5-4.0 |
| 0.6 | 4.5 | 1 59S/0.6-4.5 |
| 0.8 | 5.5 | 1 59S/0.8-5.5 |
| 1.0 | 5.5 | 1 59S/1.0-5.5 |
| 1.2 | 6.5 | 1 59S/1.2-6.5 |
| 1.2 | 8.0 | 1 59S/1.2-8.0 |
| 1.6 | 10 | 1 59S/1.6-10 |
| 1.6 | 9.0 | 1 59S/1.6-9.0 |

Blister pack of 3 Slotted bits, 25mm



59S/ 3P

| 0.5 | 3.0 | 50 59S/0.5-3.0-3P |
|-----|------|-------------------|
| 0.6 | 3.5 | 50 59S/0.6-3.5-3P |
| 0.5 | 4.0 | 50 59S/0.5-4.0-3P |
| 0.6 | 4.5 | 1 59S/0.6-4.5-3P |
| 0.8 | 5.5 | 1 59S/0.8-5.5-3P |
| 1.0 | 5.5 | 50 59S/1.0-5.5-3P |
| 1.2 | 6.5 | 50 59S/1.2-6.5-3P |
| 1.2 | 8.0 | 1 59S/1.2-8.0-3P |
| 1.6 | 9.0 | 50 59S/1.6-9.0-3P |
| 1.6 | 10.0 | 50 59S/1.6-10-3P |

Bit for Slotted head screws, 50mm, in plastic box of 5pcs



59S/50

| 0.6 | 3.5 | 1 59S/50/0.6-3.5 |
|-----|-----|------------------|
| 0.8 | 4.0 | 1 59S/50/0.8-4.0 |
| 0.8 | 5.5 | 1 59S/50/0.8-5.5 |
| 1.0 | 6.0 | 1 59S/50/1.0-6.0 |
| 1.2 | 6.5 | 1 59S/50/1.2-6.5 |

Bit for Slotted head screws, 50mm, in blister pack of 2 pcs



59S/50 2P

| 0.6 | 3.5 | 50 59S/50/3.5-2P |
|-----|-----|------------------|
| 0.8 | 4.0 | 50 59S/50/4.0-2P |
| 0.8 | 5.5 | 50 59S/50/5.5-2P |
| 1.0 | 6.0 | 1 59S/50/6.0-2P |
| 1.2 | 6.5 | 50 59S/50/6.5-2P |



Bits for Phillips head screws, 25mm, in plastic box of 10pcs
*available in Industrial pack of 100 (-IP) and 500 (-IPB) pcs



59S/PH

| 59S/PH | |
|--------|-----------------|
| 0 | 1 59S/PH0 |
| 1 | 1 59S/PH1 |
| *1 | 100 59S/PH1-IP |
| 1 | 500 59S/PH1-IPB |
| 2 | 1 59S/PH2 |
| *2 | 100 59S/PH2-IP |
| *2 | 500 59S/PH2-IPB |
| 3 | 1 59S/PH3 |
| 3 | 500 59S/PH3-IPB |
| 4 | 1 59S/PH4 |

Bit for Phillips head screws, 50mm, in plastic box of 5pcs



59S/50PH

| 59S/50PH | |
|----------|-------------|
| 1 | 1 59S/50PH1 |
| 2 | 1 59S/50PH2 |
| 3 | 1 59S/50PH3 |

Bit for Phillips head screws, 70mm, in blister pack of 2 pcs



59S/70PH 2P

| 59S/70PH 2P | |
|-------------|-----------------|
| 1 | 1 59S/70PH1-2P |
| 2 | 25 59S/70PH2-2P |

Blister pack of 3 Phillips bits, 25mm



59S/PH 3P

| 59S/PH 3P | |
|-----------|---------------|
| 0 | 50 59S/PH0-3P |
| 1 | 1 59S/PH1-3P |
| 2 | 1 59S/PH2-3P |
| 3 | 1 59S/PH3-3P |
| 4 | 25 59S/PH4-3P |

Blister pack of 2 Phillips bits, 50mm



59S/50PH 2P

| 59S/50PH 2P | |
|-------------|----------------|
| 1 | 1 59S/50PH1-2P |
| 2 | 1 59S/50PH2-2P |
| 3 | 1 59S/50PH3-2P |

Bit for Phillips head screws, 125mm, in plastic bag of 5pcs



59S/125PH

| 59S/125PH | |
|-----------|--------------|
| 1 | 1 59S/125PH1 |
| 2 | 1 59S/125PH2 |
| 3 | 1 59S/125PH3 |

Rubber plastic box of 30 Phillips bits, 25mm



59S/PH 30P

| 59S/PH 30P | |
|------------|---------------|
| 1 | 1 59S/PH1-30P |
| 2 | 1 59S/PH2-30P |
| 3 | 1 59S/PH3-30P |

Bit for Phillips head screws, 70mm, in plastic box of 5pcs



59S/70PH

| 59S/70PH | |
|----------|-------------|
| 1 | 1 59S/70PH1 |
| 2 | 1 59S/70PH2 |

Bit for Phillips head screws, 125mm, in blister pack of 2 pcs



59S/125PH-2P

| 59S/125PH-2P | |
|--------------|------------------|
| 1 | 25 59S/125PH1-2P |
| 2 | 25 59S/125PH2-2P |
| 3 | 25 59S/125PH3-2P |

Bit for Phillips dry wall head screws, 25mm



59S/PH2G

| | | |
|-------|---|----------|
| | | |
| PH 2G | 1 | 59S/PH2G |

Bit for Phillips dry wall head screws, 25mm, in blister pack of 3 pcs



59S/PH2G-3P

| | | |
|-------|----|-------------|
| | | |
| PH 2G | 50 | 59S/PH2G-3P |

Rubber plastic box of 30 Phillips bits for dr wall screws, 25mm



59S/PH2G-30P

| | | |
|------|---|--------------|
| | | |
| PH2G | 1 | 59S/PH2G-30P |

Bit for Pozidriv head screws, 25mm, in plastic box of 10pcs
*Available in industrial pack of 100 (-IP) and 500 pcs (-IPB)



59S/PZ

| | | |
|----|-----|-------------|
| | | |
| 0 | 1 | 59S/PZ0 |
| 1 | 1 | 59S/PZ1 |
| *1 | 100 | 59S/PZ1-IP |
| *1 | 500 | 59S/PZ1-IPB |
| 2 | 1 | 59S/PZ2 |
| *2 | 100 | 59S/PZ2-IP |
| *2 | 500 | 59S/PZ2-IPB |
| 3 | 1 | 59S/PZ3 |
| 3 | 500 | 59S/PZ3-IPB |
| 4 | 1 | 59S/PZ4 |

Blister pack of 3 Pozidriv bits, 25mm



59S/PZ 3P

| | | |
|---|----|------------|
| | | |
| 0 | 50 | 59S/PZ0-3P |
| 1 | 1 | 59S/PZ1-3P |
| 2 | 1 | 59S/PZ2-3P |
| 3 | 1 | 59S/PZ3-3P |

Rubber plastic box of 30 Pozidriv bits, 25mm



59S/PZ 30P

| | | |
|---|---|-------------|
| | | |
| 1 | 1 | 59S/PZ1-30P |
| 2 | 1 | 59S/PZ2-30P |
| 3 | 1 | 59S/PZ3-30P |

Bit for Pozidriv head screws, 50mm, in plastic box of 5pcs



59S/50PZ

| | | |
|---|---|-----------|
| | | |
| 1 | 1 | 59S/50PZ1 |
| 2 | 1 | 59S/50PZ2 |
| 3 | 1 | 59S/50PZ3 |

Blister pack of 2 Pozidriv bits, 50mm



59S/50PZ 2P

| | | |
|---|---|--------------|
| | | |
| 1 | 1 | 59S/50PZ1-2P |
| 2 | 1 | 59S/50PZ2-2P |
| 3 | 1 | 59S/50PZ3-2P |

Bit for Pozidriv head screws, 70mm, in plastic box of 5pcs



59S/70PZ

| | | |
|---|---|-----------|
| | | |
| 1 | 1 | 59S/70PZ1 |
| 2 | 1 | 59S/70PZ2 |
| 3 | 1 | 59S/70PZ3 |



Bit for Pozidriv head screws, 70mm, in blister pack of 2 pcs



59S/70PZ 2P

| ✳ | | 📦 🐟 | |
|---|---|--------------|--|
| 1 | 1 | 59S/70PZ1-2P | |
| 2 | 1 | 59S/70PZ2-2P | |
| 3 | 1 | 59S/70PZ3-2P | |

Bit for Pozidriv head screws, 125mm, in plastic bag of 5pcs



59S/125PZ

| ✳ | | 📦 🐟 | |
|---|---|------------|--|
| 1 | 1 | 59S/125PZ1 | |
| 2 | 1 | 59S/125PZ2 | |
| 3 | 1 | 59S/125PZ3 | |

Bit for Pozidriv head screws, 125mm, in blister pack of 2 pcs



59S/125PZ 2P

| ✳ | | 📦 🐟 | |
|---|----|---------------|--|
| 1 | 25 | 59S/125PZ1-2P | |
| 2 | 25 | 59S/125PZ2-2P | |
| 3 | 25 | 59S/125PZ3-2P | |

Bit for TORX® head screws, 25mm, in plastic box of 5 or 10 pcs



59S/T

| ✳ | | 📦 🐟 | |
|-----|---|---------|--|
| T3 | 1 | 59S/T3 | |
| T4 | 1 | 59S/T4 | |
| T5 | 1 | 59S/T5 | |
| T6 | 1 | 59S/T6 | |
| T7 | 1 | 59S/T7 | |
| T8 | 1 | 59S/T8 | |
| T9 | 1 | 59S/T9 | |
| T10 | 1 | 59S/T10 | |
| T15 | 1 | 59S/T15 | |
| T20 | 1 | 59S/T20 | |
| T25 | 1 | 59S/T25 | |
| T27 | 1 | 59S/T27 | |
| T30 | 1 | 59S/T30 | |
| T40 | 1 | 59S/T40 | |
| T45 | 1 | 59S/T45 | |
| T50 | 1 | 59S/T50 | |

Blister pack of 3 TORX® bits, 25mm



59S/T 3P

| ✳ | | 📦 🐟 | |
|-----|----|------------|--|
| T3 | 50 | 59S/T3-3P | |
| T4 | 50 | 59S/T4-3P | |
| T5 | 50 | 59S/T5-3P | |
| T6 | 50 | 59S/T6-3P | |
| T7 | 50 | 59S/T7-3P | |
| T8 | 50 | 59S/T8-3P | |
| T9 | 50 | 59S/T9-3P | |
| T10 | 1 | 59S/T10-3P | |
| T15 | 1 | 59S/T15-3P | |
| T20 | 1 | 59S/T20-3P | |
| T25 | 1 | 59S/T25-3P | |
| T27 | 1 | 59S/T27-3P | |
| T30 | 1 | 59S/T30-3P | |
| T40 | 1 | 59S/T40-3P | |
| T45 | 50 | 59S/T45-3P | |
| T50 | 50 | 59S/T50-3P | |

Rubber plastic box of 30 TORX® bits, 25mm



59S/T 30P

| ✳ | | 📦 🐟 | |
|-----|---|-------------|--|
| T10 | 1 | 59S/T10-30P | |
| T15 | 1 | 59S/T15-30P | |
| T20 | 1 | 59S/T20-30P | |
| T25 | 1 | 59S/T25-30P | |
| T30 | 1 | 59S/T30-30P | |
| T40 | 1 | 59S/T40-30P | |

Bit for TORX® head screws, 50mm, in plastic box of 5pcs



59S/50T

| ✳ | | 📦 🐟 | |
|-----|---|-----------|--|
| T8 | 1 | 59S/50T8 | |
| T10 | 1 | 59S/50T10 | |
| T15 | 1 | 59S/50T15 | |
| T20 | 1 | 59S/50T20 | |
| T25 | 1 | 59S/50T25 | |
| T27 | 1 | 59S/50T27 | |
| T30 | 1 | 59S/50T30 | |
| T40 | 1 | 59S/50T40 | |

Blister pack of 2 TORX® bits, 50mm






59S/50T 2P

| ✳ | | 📦 🐟 | |
|-----|----|--------------|--|
| T8 | 50 | 59S/50T8-2P | |
| T10 | 1 | 59S/50T10-2P | |
| T15 | 1 | 59S/50T15-2P | |
| T20 | 1 | 59S/50T20-2P | |
| T25 | 1 | 59S/50T25-2P | |
| T30 | 1 | 59S/50T30-2P | |
| T40 | 50 | 59S/50T40-2P | |

Bit for TORX® head screws, 70mm, in plastic box of 5pcs






59S/70T

| | |    | |
|-----|---|--|--|
| T10 | 1 | 59S/70T10 | |
| T15 | 1 | 59S/70T15 | |
| T20 | 1 | 59S/70T20 | |
| T25 | 1 | 59S/70T25 | |
| T27 | 1 | 59S/70T27 | |
| T30 | 1 | 59S/70T30 | |
| T40 | 1 | 59S/70T40 | |

Blister pack of 2 TORX® bits, 70mm






59S/70T 2P

| | |    | |
|-----|----|--|--|
| T10 | 1 | 59S/70T10-2P | |
| T15 | 25 | 59S/70T15-2P | |
| T20 | 1 | 59S/70T20-2P | |
| T25 | 25 | 59S/70T25-2P | |
| T27 | 1 | 59S/70T27-2P | |
| T30 | 1 | 59S/70T30-2P | |
| T40 | 1 | 59S/70T40-2P | |

Bit for TORX® head screws, 150mm, in plastic bag of 5pcs






59S/150T

| | |    | |
|-----|---|--|--|
| T15 | 1 | 59S/150T15 | |
| T20 | 1 | 59S/150T20 | |
| T25 | 1 | 59S/150T25 | |
| T30 | 1 | 59S/150T30 | |

Bit for TORX® head screws, 150mm, in blister pack of 2 pcs






59S/150T 2P

| | |    | |
|-----|---|---|--|
| T15 | 1 | 59S/150T15-2P | |
| T20 | 1 | 59S/150T20-2P | |
| T25 | 1 | 59S/150T25-2P | |
| T30 | 1 | 59S/150T30-2P | |

Bit for TORX® Tamper head screws, 25mm, in plastic box of 5pcs






59S/TR

| | |    | |
|-------|---|---|--|
| TR 7 | 1 | 59S/TR7 | |
| TR 8 | 1 | 59S/TR8 | |
| TR 9 | 1 | 59S/TR9 | |
| TR 10 | 1 | 59S/TR10 | |
| TR 15 | 1 | 59S/TR15 | |
| TR 20 | 1 | 59S/TR20 | |
| TR 25 | 1 | 59S/TR25 | |
| TR 27 | 1 | 59S/TR27 | |
| TR 30 | 1 | 59S/TR30 | |
| TR 40 | 1 | 59S/TR40 | |

Blister pack of 3 TORX® Tamper bits, 25mm






59S/TR 3P

| | |    | |
|-------|----|---|--|
| TR7 | 50 | 59S/TR7-3P | |
| TR8 | 50 | 59S/TR8-3P | |
| TR9 | 50 | 59S/TR9-3P | |
| TR 10 | 1 | 59S/TR10-3P | |
| TR 15 | 1 | 59S/TR15-3P | |
| TR 20 | 1 | 59S/TR20-3P | |
| TR 25 | 1 | 59S/TR25-3P | |
| TR 27 | 1 | 59S/TR27-3P | |
| TR 30 | 1 | 59S/TR30-3P | |
| TR 40 | 1 | 59S/TR40-3P | |

Bit for TORX® head screws, 70mm, in plastic box of 5pcs






59S/70TR

| | |    | |
|------|---|---|--|
| TR15 | 1 | 59S/70TR15 | |
| TR20 | 1 | 59S/70TR20 | |
| TR25 | 1 | 59S/70TR25 | |
| TR27 | 1 | 59S/70TR27 | |
| TR30 | 1 | 59S/70TR30 | |
| TR40 | 1 | 59S/70TR40 | |

Bit for TORX® head screws, 70mm, in blister pack of 2 pcs






59S/70TR 2P

| | |    | |
|------|----|---|--|
| TR15 | 1 | 59S/70TR15-2P | |
| TR20 | 25 | 59S/70TR20-2P | |
| TR25 | 25 | 59S/70TR25-2P | |
| TR27 | 25 | 59S/70TR27-2P | |
| TR30 | 25 | 59S/70TR30-2P | |
| TR40 | 25 | 59S/70TR40-2P | |

Bit for HEX head screws, mm, 25mm, in plastic box of 5pcs



59S/H mm

| | |    | |
|-----|-----|---|--|
| 1.5 | 1 | 59S/H1.5 | |
| 2 | 1 | 59S/H2 | |
| 2.5 | 1 | 59S/H2.5 | |
| 3 | 1 | 59S/H3 | |
| 4 | 1 | 59S/H4 | |
| 4 | 500 | 59S/H4-IPB | |
| 5 | 1 | 59S/H5 | |
| 6 | 1 | 59S/H6 | |
| 8 | 1 | 59S/H8 | |
| 10 | 1 | 59S/H10 | |



Blister pack of 3 Hex bits, 25mm



59S/H 3P mm

| | | 59S/H 3P mm | |
|-----|----|-------------|--|
| 1.5 | 50 | 59S/H1.5-3P | |
| 2 | 50 | 59S/H2-3P | |
| 2.5 | 50 | 59S/H2.5-3P | |
| 3 | 1 | 59S/H3-3P | |
| 4 | 1 | 59S/H4-3P | |
| 5 | 1 | 59S/H5-3P | |
| 6 | 1 | 59S/H6-3P | |
| 8 | 1 | 59S/H8-3P | |
| 10 | 25 | 59S/H10-3P | |

Bit for Hexagon screws, inches, 25mm, in plastic box of 5pcs



59S/H "

| | | 59S/H " | |
|------|---|-----------|--|
| 1/4 | 1 | 59S/H1/4 | |
| 1/8 | 1 | 59S/H1/8 | |
| 1/16 | 1 | 59S/H1/16 | |
| 3/8 | 1 | 59S/H3/8 | |
| 3/16 | 1 | 59S/H3/16 | |
| 3/32 | 1 | 59S/H3/32 | |
| 5/16 | 1 | 59S/H5/16 | |
| 5/32 | 1 | 59S/H5/32 | |
| 5/64 | 1 | 59S/H5/64 | |
| 7/32 | 1 | 59S/H7/32 | |
| 7/64 | 1 | 59S/H7/64 | |
| 9/64 | 1 | 59S/H9/64 | |

| | | 59S/H " | |
|------|---|-------------|--|
| 5/64 | 1 | 59S/50H5/64 | |
| 7/32 | 1 | 59S/50H7/32 | |
| 7/64 | 1 | 59S/50H7/64 | |
| 9/64 | 1 | 59S/50H9/64 | |

Bit for Hex Ball Point head screws, 89mm, in plastic bag of 5pcs



59S/H BALL

| | | 59S/H BALL | |
|---|---|------------|--|
| 3 | 1 | 59S/H3BALL | |
| 4 | 1 | 59S/H4BALL | |
| 5 | 1 | 59S/H5BALL | |
| 6 | 1 | 59S/H6BALL | |
| 8 | 1 | 59S/H8BALL | |

Bit for Hex head screws in mm, 50mm, in plastic box of 5pcs



59S/50H

| | | 59S/50H | |
|-----|---|------------|--|
| 2 | 1 | 59S/50H2 | |
| 2.5 | 1 | 59S/50H2.5 | |
| 3 | 1 | 59S/50H3 | |
| 4 | 1 | 59S/50H4 | |
| 5 | 1 | 59S/50H5 | |
| 6 | 1 | 59S/50H6 | |
| 8 | 1 | 59S/50H8 | |

Bit for Hexagon screws, inches, 25mm, in blister pack of 3 pcs



59S/H 3P "

| | | 59S/H 3P " | |
|------|----|--------------|--|
| 1/4 | 50 | 59S/H1/4-3P | |
| 1/8 | 50 | 59S/H1/8-3P | |
| 1/16 | 50 | 59S/H1/16-3P | |
| 3/8 | 25 | 59S/H3/8-3P | |
| 3/16 | 1 | 59S/H3/16-3P | |
| 3/32 | 50 | 59S/H3/32-3P | |
| 5/16 | 50 | 59S/H5/16-3P | |
| 5/32 | 50 | 59S/H5/32-3P | |
| 5/64 | 50 | 59S/H5/64-3P | |
| 7/32 | 50 | 59S/H7/32-3P | |
| 7/64 | 50 | 59S/H7/64-3P | |
| 9/64 | 1 | 59S/H9/64-3P | |

Blister pack of 2 Hexagon Ball bits, 89mm code ending in -3P in pack of 3pcs



59S/H BALL 2P

| | | 59S/H BALL 2P | |
|-------|---|---------------|--|
| 5,6,8 | 1 | 59S/HBALL-3P | |
| 3 | 1 | 59S/H3BALL-2P | |
| 4 | 1 | 59S/H4BALL-2P | |
| 5 | 1 | 59S/H5BALL-2P | |
| 6 | 1 | 59S/H6BALL-2P | |
| 8 | 1 | 59S/H8BALL-2P | |

Bit for Hex head screws in mm, 50mm, in blister pack of 2 pcs



59S/50H 2P

| | | 59S/50H 2P | |
|-----|----|---------------|--|
| 2 | 50 | 59S/50H2-2P | |
| 2.5 | 50 | 59S/50H2.5-2P | |
| 3 | 50 | 59S/50H3-2P | |
| 4 | 50 | 59S/50H4-2P | |
| 5 | 50 | 59S/50H5-2P | |
| 6 | 50 | 59S/50H6-2P | |
| 8 | 50 | 59S/50H8-2P | |

Bit for Hex head screws in inches, 50mm, in plastic box of 5pcs



59S/50H1

| | | 59S/50H1 | |
|------|---|-------------|--|
| 1/16 | 1 | 59S/50H1/16 | |
| 1/4 | 1 | 59S/50H1/4 | |
| 1/8 | 1 | 59S/50H1/8 | |
| 3/16 | 1 | 59S/50H3/16 | |
| 3/32 | 1 | 59S/50H3/32 | |
| 3/8 | 1 | 59S/50H3/8 | |
| 5/16 | 1 | 59S/50H5/16 | |
| 5/32 | 1 | 59S/50H5/32 | |

Bit for Robertson® head screws, 25mm, in plastic box of 10pcs



59S/R

| | | 59S/R | |
|-----|---|--------|--|
| # 1 | 1 | 59S/R1 | |
| # 2 | 1 | 59S/R2 | |
| # 3 | 1 | 59S/R3 | |
| # 4 | 1 | 59S/R4 | |

Blister pack of 3 Robertson bits, 25mm



59S/R 3P

| 59S/R 3P | |
|----------|-------------|
| #1 | 1 59S/R1-3P |
| #2 | 1 59S/R2-3P |
| #3 | 1 59S/R3-3P |

Bit for Robertson head screws, 50mm, in plastic box of 5pcs



59S/50R

| 59S/50R | |
|---------|------------|
| #1 | 1 59S/50R1 |
| #2 | 1 59S/50R2 |
| #3 | 1 59S/50R3 |

Bit for Robertson head screws, 50mm, in small blister pack of 2 pcs



59S/50R 2P

| 59S/50R 2P | |
|------------|----------------|
| #1 | 50 59S/50R1-2P |
| #2 | 50 59S/50R2-2P |
| #3 | 50 59S/50R3-2P |

Bit for TORQ-SET® head screws, mm, 25mm, in plastic box of 5pcs



59S/TS

| 59S/TS | |
|--------|--------------|
| 0 | 1 59S/TS-0 |
| 1 | 1 59S/TS-1 |
| 2 | 1 59S/TS-2 |
| 3 | 1 59S/TS-3 |
| 4 | 1 59S/TS-4 |
| 5 | 1 59S/TS-5 |
| 6 | 1 59S/TS-6 |
| 8 | 1 59S/TS-8 |
| 10 | 1 59S/TS-10 |
| 1/4" | 1 59S/TS-1/4 |

Bit for Tri-Wing head screws, 25mm, in plastic box of 5pcs



59S/TW

| 59S/TW | |
|--------|-----------|
| TW 0 | 1 59S/TW0 |
| TW 1 | 1 59S/TW1 |
| TW 2 | 1 59S/TW2 |
| TW 3 | 1 59S/TW3 |
| TW 4 | 1 59S/TW4 |
| TW 5 | 1 59S/TW5 |

Bit for XZN head screws, 25mm, in plastic box of 10pcs



59S/M

| 59S/M | |
|-------|----------|
| M3 | 1 59S/M3 |
| M4 | 1 59S/M4 |
| M5 | 1 59S/M5 |
| M6 | 1 59S/M6 |
| M8 | 1 59S/M8 |

Bit for XZN head screws, 25mm, in blister pack of 3 pcs



59S/M 3P

| 59S/M 3P | |
|----------|--------------|
| M3 | 50 59S/M3-3P |
| M4 | 50 59S/M4-3P |
| M5 | 50 59S/M5-3P |
| M6 | 50 59S/M6-3P |
| M8 | 50 59S/M8-3P |

Combi bits for terminal screws (slotted/Phillips)



59S/PH COMBI 2P

| 59S/PH COMBI 2P | | |
|-----------------|---|-------------------|
| 5.0 | 1 | 1 59S/PH1COMBI-2P |
| 6.0 | 2 | 1 59S/PH2COMBI-2P |
| 8.0 | 3 | 1 59S/PH3COMBI-2P |

Power nut drivers, 50mm



K6750

| K6750 | | |
|-------|------|-------------|
| 6 | 1/4" | 1 K6750-6 |
| 7 | 1/4" | 1 K6750-7 |
| 8 | 1/4" | 1 K6750-8 |
| 10 | 1/4" | 1 K6750-10 |
| 13 | 1/4" | 1 K6750-13 |
| 1/4" | 1/4" | 1 K6750-1/4 |
| 3/8" | 1/4" | 1 K6750-3/8 |



Power magnetic nut drivers, 50mm



KM6750

| Hexagonal Drive | Square Drive | Quantity | Part Number |
|-----------------|--------------|----------|-------------|
| 11 mm | 1/4" mm | 1 | KM6750-11 |
| 6 | 1/4" | 1 | KM6750-6 |
| 7 | 1/4" | 1 | KM6750-7 |
| 8 | 1/4" | 1 | KM6750-8 |
| 10 | 1/4" | 1 | KM6750-10 |
| 13 | 1/4" | 1 | KM6750-13 |
| 1/4" | 1/4" | 1 | KM6750-1/4 |
| 3/8" | 1/4" | 1 | KM6750-3/8 |

Adaptor with hexagonal 1/4" and square 1/4" drive, 25mm, in plastic box of 5 pcs



K6625

| Hexagonal Drive | Square Drive | Quantity | Part Number |
|-----------------|--------------|----------|--------------|
| 1/4" | 1/4" | 1 | K6625-1/4-1P |
| 1/4" | 1/4" | 1 | K6625-1/4 |

Adaptor with hexagonal 1/4" and square 3/8" drive, 38mm, in plastic box of 5 pcs



K6638

| Hexagonal Drive | Square Drive | Quantity | Part Number |
|-----------------|--------------|----------|--------------|
| 3/8" | 1/4" | 25 | K6638-3/8-1P |
| 3/8" | 1/4" | 1 | K6638-3/8 |

Adaptor with hexagonal and square drive, 50mm, in plastic box of 5 pcs
K6650-1/4-1P is packed by unit



K6650

| Hexagonal Drive | Square Drive | Quantity | Part Number |
|-----------------|--------------|----------|--------------|
| 1/2" | 1/4" | 1 | K6650-1/2-1P |
| 3/8" | 1/4" | 1 | K6650-3/8-1P |
| 1/4" | 1/4" | 1 | K6650-1/4 |
| 1/4" | 1/4" | 1 | K6650-1/4-1P |
| 3/8" | 1/4" | 1 | K6650-3/8 |
| 1/2" | 1/4" | 1 | K6650-1/2 |

Adaptor with hexagonal and square drive, 100mm, in plastic box of 5 pcs



K66100

| Hexagonal Drive | Square Drive | Quantity | Part Number |
|-----------------|--------------|----------|---------------|
| 1/4" | 1/4" | 25 | K66100-1/4-1P |
| 3/8" | 1/4" | 25 | K66100-3/8-1P |
| 1/4" | 1/4" | 1 | K66100-1/4 |
| 3/8" | 1/4" | 1 | K66100-3/8 |

Adaptor 1/4" with quick release system, 60mm, in plastic holder by unit



K6660-QR

| Hexagonal Drive | Square Drive | Quantity | Part Number |
|-----------------|--------------|----------|-------------|
| 1/4" | 1/4" | 1 | K6660-QR-1P |

Universal adaptor 1/4" with retaining ring, 60mm, in plastic box of 5 pcs



KR653

| Hexagonal Drive | Square Drive | Quantity | Part Number |
|-----------------|--------------|----------|-------------|
| 1/4" | 1/4" | 25 | KR653-1P |
| 1/4" | 1/4" | 1 | KR653 |

Copper-Beryllium universal adaptor 1/4" with retaining ring
In plastic holder by unit



KCB753

| Hexagonal Drive | Square Drive | Quantity | Part Number |
|-----------------|--------------|----------|-------------|
| 1/4" | 1/4" | 1 | KCB753 |

Magnetic universal adaptor, 60mm
KM653 in plastic box of 5 pcs and KM653-1P in plastic holder by unit



KM653

| Hexagonal Drive | Square Drive | Quantity | Part Number |
|-----------------|--------------|----------|-------------|
| 1/4" | 1/4" | 1 | KM653 |
| 1/4" | 1/4" | 25 | KM653-1P |

Magnetic universal adaptor 1/4" with retaining ring, 60mm
KMR653 in plastic box of 5 pcs and KMR653-1P in plastic holder by unit



KMR653

| Hexagonal Drive | Square Drive | Quantity | Part Number |
|-----------------|--------------|----------|-------------|
| 1/4" | 1/4" | 1 | KMR653 |
| 1/4" | 1/4" | 1 | KMR653-1P |

Magnetic universal adaptor 1/4" with retaining ring, 75mm



KMR753

| Hexagonal Drive | Square Drive | Quantity | Part Number |
|-----------------|--------------|----------|-------------|
| 1/4" | 1/4" | 1 | KMR753 |
| 1/4" | 1/4" | 1 | KMR753-1P |

Magnetic universal adaptor 1/4" with retaining ring, 150mm
KMR150 in plastic box of 5 pcs and KMR150-1P in plastic holder by unit



KMR150

| Hexagonal Drive | Square Drive | Quantity | Part Number |
|-----------------|--------------|----------|-------------|
| 1/4" | 1/4" | 1 | KMR150 |
| 1/4" | 1/4" | 1 | KMR150-1P |

Magnetic bit holder with quick release system, 60mm
KM653-QR in plastic box of 5 pcs and KM653-QR-1 in
plastic holder by unit



KM653-QR

| | | | |
|-----|------|---|-------------|
| | | | |
| 1/4 | 1/4" | 1 | KM653-QR |
| 1/4 | 1/4" | 1 | KM653-QR-1P |

Magnetic bit holder with quick release system, 75mm
In plastic holder by unit



KM753-QR

| | | | |
|------|------|---|-------------|
| | | | |
| 1/4" | 1/4" | 1 | KM753-QR-1P |

Screw holding universal adaptor, 82 mm
In plastic holder by unit



KM100-SH

| | | | |
|------|------|---|----------|
| | | | |
| 1/4" | 1/4" | 1 | KM100-SH |

1/4" adaptor with swivel function
In plastic holder by unit



KM653-SF

| | | | |
|------|------|---|----------|
| | | | |
| 1/4" | 1/4" | 1 | KM653-SF |

BITS FOR MAGAZINE SCREWDRIVERS

Bit for Phillips head screws



K18NF

| | | |
|---|---|-----------|
| | | |
| 2 | 1 | K18PH-2M5 |
| 2 | 1 | K18PH-2M6 |
| 2 | 1 | K18NF-2 |

Bit for Pozidriv head screws



K19PZD

| | | |
|---|---|------------|
| | | |
| 2 | 1 | K19PZD-2NF |
| 2 | 1 | K19PZD-2M5 |

Bit for TORX® head screws



K20TORX

| | | |
|-----|----|-------------|
| | | |
| T25 | 10 | K20TORX-T25 |

BITS SETS 1/4"

31 pcs bit set for slotted, Phillips, Pozidriv, TORX®,
Hexagon head screws, bit holder and socket adaptor
1/4"



59S/31B

| | | |
|---------------------------|---|---------|
| | | |
| 40.25 x 104.90 x 65.35 mm | 1 | 59S/31B |

31 pcs bits set for Slotted, Phillips, Pozidriv, TORX®,
Hexagon screws and bit holder
TORX®, Hexagon screws and bit holder



59S/31-1

| | | |
|------------------|----|----------|
| | | |
| 42 x 65 x 110 mm | 12 | 59S/31-1 |

| | | |
|---|--|--|
| 59S/PH1, 59S/PH2, 59S/PH3 | | |
| 59S/PH2G | | |
| 59S/T10, 59S/T15, 59S/T20, 59S/T25, 59S/T27, 59S/T30 | | |
| 59S/H3, 59S/H4, 59S/H5, 59S/H6 | | |
| 59S/PZ1, 59S/PZ2, 59S/PZ3 | | |
| 59S/0.5-3.0, 59S/0.6-4.5, 59S/0.8-5.5 | | |
| KM653-QR | | |

31pcs bits set for Phillips, Pozidriv, Torx® and bit holder



59S/31-2

| | | |
|------------------|---|----------|
| | | |
| 42 x 65 x 110 mm | 1 | 59S/31-2 |

| | | |
|--|--|--|
| 59S/PH2 | | |
| 59S/PH2G | | |
| 59S/T10, 59S/T15, 59S/T20, 59S/T25, 59S/T30 | | |
| 59S/PZ2 | | |
| KM653-QR | | |



31pcs bits set for Phillips, Pozidriv, TORX® Tamper Resistant and bit holder
Resistant and bit holder



59S/31-3

| | | |
|------------------|----|----------|
| | | |
| 42 x 65 x 110 mm | 12 | 59S/31-3 |

| | | |
|--|--|--|
| 59S/PH1, 59S/PH2, 59S/PH3 | | |
| 59S/TR10, 59S/TR15, 59S/TR20, 59S/TR25, 59S/TR27, 59S/TR30, 59S/TR40 | | |
| 59S/PZ1, 59S/PZ2, 59S/PZ3 | | |
| KM653-QR | | |

31pcs Torsion bits set for Slotted, Phillips, Pozidriv, Torx®, Hexagon screws and bit holder
Pozidriv, Torx®, Hexagon screws and bit holder



60T/31-1

| | | |
|------------------|----|----------|
| | | |
| 42 x 65 x 110 mm | 12 | 60T/31-1 |

| | | |
|---|--|--|
| 60T/PH1, 60T/PH2, 60T/PH3 | | |
| 60T/T10, 60T/T15, 60T/T20, 60T/T25, 60T/T27 | | |
| 60T/PZ1, 60T/PZ2, 60T/PZ3 | | |
| 60T/T30 | | |
| 59S/PH2G | | |
| 59S/H3, 59S/H4, 59S/H5, 59S/H6 | | |
| 59S/0.6-4.5, 59S/0.8-5.5 | | |

17pcs bits set for Slotted, Phillips, Pozidriv, Hexagon screws and quick release bit holder
hexagon screws and quick release bit holder



59S/17-1

| | | |
|-----------------|---|----------|
| | | |
| 27 x 73 x 82 mm | 1 | 59S/17-1 |

| | | |
|---------------------------------------|--|--|
| 59S/PH1, 59S/PH2 | | |
| 59S/PH2G | | |
| 59S/H3, 59S/H4, 59S/H5, 59S/H6 | | |
| 59S/PZ1, 59S/PZ2 | | |
| 59S/0.5-3.0, 59S/0.6-4.5, 59S/0.8-5.5 | | |

17pcs bits set for TORX® screws and bit holder



59S/17-2

| | | |
|-----------------|---|----------|
| | | |
| 27 x 73 x 82 mm | 1 | 59S/17-2 |

| | | |
|---|--|--|
| 59S/T7, 59S/T8, 59S/T9, 59S/T10, 59S/T15, 59S/T20, 59S/T25, 59S/T27, 59S/T30, 59S/T40 | | |
|---|--|--|

17pcs bits set for Pozidriv, Phillips, TORX® Tamper, Hexagonal screws and bit holder
Tamper, hexagonal screws and bit holder



59S/17-3

| | | |
|-----------------|---|----------|
| | | |
| 27 x 73 x 82 mm | 1 | 59S/17-3 |

| | | |
|---|--|--|
| 59S/PH1, 59S/PH2 | | |
| 59S/T10, 59S/T15, 59S/T20, 59S/T25, 59S/T27, 59S/T30, 59S/T40 | | |
| 59S/PZ1, 59S/PZ2, 59S/PZ3 | | |
| 59S/H3, 59S/H4, 59S/H5 | | |

17pcs Torsion bits set for Phillips, Pozidriv, TORX® and bit holder



60T/17-1

| | | |
|-----------------|---|----------|
| | | |
| 27 x 73 x 82 mm | 1 | 60T/17-1 |

| | | |
|---|--|--|
| 60T/PH1, 60T/PH2 | | |
| 60T/T7, 60T/T8, 60T/T9, 60T/T10, 60T/T15, 60T/T20, 60T/T25, 60T/T27, 60T/T30, 60T/T40 | | |

7pcs bits set for Phillips, Pozidriv, TORX® screws and bit holder



59S/7-1

| | | |
|-----------------|---|---------|
| | | |
| 22 x 65 x 75 mm | 1 | 59S/7-1 |

| | | |
|------------------|--|--|
| 59S/PH1, 59S/PH2 | | |
| 59S/T15, 59S/T20 | | |
| 59S/PZ1, 59S/PZ2 | | |

7pcs bit sets for Phillips, TORX® screws and bit holder



59S/7-2

| | | |
|-----------------|---|---------|
| | | |
| 22 x 65 x 75 mm | 1 | 59S/7-2 |

| | | |
|---------------------------|--|--|
| 59S/PH2 | | |
| 59S/T15, 59S/T20, 59S/T25 | | |

7pcs bits set for TORX® Tamper Resistant screws and bit holder



59S/7-3

| | | |
|-----------------|---|---------|
| | | |
| 22 x 65 x 75 mm | 1 | 59S/7-3 |

| | | |
|--|--|--|
| 59S/TR10, 59S/TR15, 59S/TR20, 59S/TR25, 59S/TR30, 59S/TR40 | | |
|--|--|--|

7pcs bits set for TORX® screws and bit holder



59S/7-4

| | | |
|-----------------|---|---------|
| | | |
| 22 x 65 x 75 mm | 1 | 59S/7-4 |

| | | |
|--|--|--|
| 59S/T10, 59S/T15, 59S/T20, 59S/T25, 59S/T30, 59S/T40 | | |
|--|--|--|

7pcs Torsion bits set for Phillips, Pozidriv, TORX® screws and bit holder



60T/7-1

| | | |
|-----------------|---|---------|
| | | |
| 22 x 65 x 75 mm | 1 | 60T/7-1 |

| | | |
|------------------------------------|--|--|
| 60T/PH2 | | |
| 60T/T10, 60T/T15, 60T/T20, 60T/T30 | | |
| 60T/PZ2 | | |

7pcs TIN bits set for Phillips, Pozidriv, TORX® screws and bit holder



62TIN/7-1

| | | |
|-----------------|---|-----------|
| | | |
| 22 x 65 x 75 mm | 1 | 62TIN/7-1 |

| | | |
|--|--|--|
| 62TIN/PH2 | | |
| 62TIN/T15, 62TIN/T20, 62TIN/T25, 62TIN/T30 | | |
| 62TIN/PZ2 | | |

7pcs Diamond bits set for Phillips, Pozidriv, TORX® screws and bit holder




63D/7-1

| | | |
|-----------------|---|---------|
| | | |
| 20 x 50 x 80 mm | 1 | 63D/7-1 |

| | | |
|------------------------------------|--|--|
| 63D/PH2 | | |
| 63D/T10, 63D/T15, 63D/T25, 63D/T30 | | |
| 63D/PZ2 | | |

22pcs bits set for Slotted, Phillips, Pozidriv, TORX® screws, bit holder and socket adaptor 1/4"




59S/22-1

| | | |
|-----------------|----|----------|
| | | |
| 20 x 50 x 80 mm | 12 | 59S/22-1 |

| | | |
|---|--|--|
| 59S/PH1, 59S/PH2, 59S/PH3 | | |
| 59S/PH2G | | |
| 59S/T6, 59S/T8, 59S/T9, 59S/T10, 59S/T15, 59S/T20, 59S/T25, 59S/T27, 59S/T30, 59S/T40 | | |
| 59S/PZ1, 59S/PZ2, 59S/PZ3 | | |
| 59S/0.5-3.0, 59S/0.6-4.5, 59S/0.8-5.5 | | |
| K6650-1/4 | | |

22pcs bits set for Phillips, TORX®, Hexagonal screws, bit holder and socket adaptor 1/4"



59S/22-2

| | | |
|-----------------|----|----------|
| | | |
| 20 x 50 x 80 mm | 12 | 59S/22-2 |

| | | |
|------------------------------------|--|--|
| 59S/PH2 | | |
| 59S/PH2G | | |
| 59S/T10, 59S/T15, 59S/T20, 59S/T25 | | |
| 59S/PZ2 | | |
| 59S/0.5-3.0 | | |
| K6650-1/4 | | |

Bit set for slotted, Phillips, HEXAGON TORX® and TORQ-set® head screws



59/S28-4

| | | |
|--|---|----------|
| | | |
| | 1 | 59/S28-4 |

| | | |
|---|--|--|
| K6625-1/4 | | |
| 59S/0.6-4.5, 59S/1.2-6.5, 59S/1.2-8.0 | | |
| 59S/T6, 59S/T15 | | |
| 59S/TS-4, 59S/TS-6, 59S/TS-8, 59S/TS-10 | | |
| KM653 | | |
| 59S/PH1, 59S/PH2, 59S/PH3 | | |
| 59S/H1/8, 59S/H3/16, 59S/H3/32, 59S/H5/32, 59S/H5/64, 59S/H7/32, 59S/H7/64, 59S/H9/64 | | |

Bit set with bits, sockets, bit-ratchet and adapters



2058/S26

| | | |
|-------------------|----|-------------|
| | | |
| 80 x 100 x 35 mm | 30 | 2058/S26 |
| 190 x 120 x 55 mm | 1 | SB-2058/S26 |



Bit set with bits, sockets, bit-ratchet and adapters



2058/S26-2

| | | |
|------------------|---|------------|
| | | |
| 80 x 100 x 35 mm | 1 | 2058/S26-2 |

54 pcs bit set for Slotted, Phillips, Pozidriv, Hexagonal, Robertson and coloured TORX®, TORX® Tamper, head screws



59/S54BC

| | | |
|-------------------|---|----------|
| | | |
| 50 x 110 x 184 mm | 1 | 59/S54BC |

TORX bits are colored to easy identify the size of the tip

54 pcs bit set for Slotted, Phillips, Pozidriv, Hexagonal, Robertson and coloured TORX®, TORX® Tamper, head screws, supplied in a carton display of 8 pcs



59/S54BC-IP

| | | |
|-----------------|---|-------------|
| | | |
| 30 x 19 x 28 mm | 8 | 59/S54BC-IP |

TORX bits are colored to easy identify the size of the tip

100 pcs bit set for Slotted, Phillips, Pozidriv, Hexagon, Robertson and coloured TORX®, TORX® Tamper, head screws



59/S100BC

| | | |
|-------------------|---|--------------|
| | | |
| 50 x 110 x 184 mm | 1 | 59/S100BC |
| 30 x 19 x 28 mm | 8 | 59/S100BC-IP |

TORX bits are colored

BITS 5/32"

Bit for slotted head screws 5/32", Phillips® screws, in plastic box of 5 pcs



45S/PH

| | | |
|---|---|---------|
| | | |
| 1 | 1 | 45S/PH1 |
| 2 | 1 | 45S/PH2 |

Bit for slotted head screws 5/32", Phillips® screws, in blister pack of 2 pcs



45S/PH 2P

| | | |
|---|----|------------|
| | | |
| 1 | 50 | 45S/PH1-2P |
| 2 | 50 | 45S/PH2-2P |

Bit for hexagon head screws 5/32", in plastic box of 5 pcs



45S/H

| | | |
|-----|---|----------|
| | | |
| 1.5 | 1 | 45S/H1.5 |
| 2 | 1 | 45S/H2 |
| 2.5 | 1 | 45S/H2.5 |
| 3 | 1 | 45S/H3 |

Bit for hexagon head screws 5/32", in blister pack of 2 pcs



45S/H 2P

| | | |
|-----|----|-------------|
| | | |
| 1.5 | 50 | 45S/H1.5-2P |
| 2 | 50 | 45S/H2-2P |
| 2.5 | 50 | 45S/H2.5-2P |
| 3 | 50 | 45S/H3-2P |

BITS 5/16"

5/16" Impact screwdriver



5521

| | | |
|-----|---|------|
| | | |
| 125 | 1 | 5521 |

Impact screwdriver adaptor, 5/16" bits



54640

| | | |
|----|---|-------|
| | | |
| 40 | 1 | 54640 |

Bit for slotted head screws, in plastic box of 5 pcs



70S/

| Length | Width | Quantity | Part Number |
|--------|-------|----------|--------------|
| 1.2 | 8.0 | 1 | 70S/1.2-8.0 |
| 1.6 | 9.0 | 1 | 70S/1.6-9.0 |
| 1.6 | 10.0 | 1 | 70S/1.6-10.0 |
| 2.0 | 12.0 | 1 | 70S/2.0-12.0 |
| 2.5 | 14.0 | 1 | 70S/2.5-14.0 |



Bit for PHILLIPS® head screws, in blister pack of 2 pcs



70S/PH 2P

| Length | Quantity | Part Number |
|--------|----------|-------------|
| 1 | 25 | 70S/PH1-2P |
| 2 | 25 | 70S/PH2-2P |
| 3 | 25 | 70S/PH3-2P |
| 4 | 25 | 70S/PH4-2P |



Bit for slotted head screws, TORX®, in plastic box of 5 pcs



70S/T

| Length | Quantity | Part Number |
|--------|----------|-------------|
| T20 | 1 | 70S/T20 |
| T25 | 1 | 70S/T25 |
| T27 | 1 | 70S/T27 |
| T30 | 1 | 70S/T30 |
| T40 | 1 | 70S/T40 |
| T45 | 1 | 70S/T45 |
| T50 | 1 | 70S/T50 |
| T55 | 1 | 70S/T55 |



Bit for slotted head screws, in blister pack of 2 pcs



70S/ 2P

| Length | Width | Quantity | Part Number |
|--------|-------|----------|-----------------|
| 1.2 | 8.0 | 25 | 70S/1.2-8.0-2P |
| 1.6 | 9.0 | 25 | 70S/1.6-9.0-2P |
| 1.6 | 10.0 | 25 | 70S/1.6-10.0-2P |
| 2.0 | 12.0 | 25 | 70S/2.0-12.0-2P |
| 2.5 | 14.0 | 25 | 70S/2.5-14.0-2P |

Bit for slotted head screws, POZIDRIV® screws, in plastic box of 5 pcs



70S/PZ

| Length | Quantity | Part Number |
|--------|----------|-------------|
| 1 | 1 | 70S/PZ1 |
| 2 | 1 | 70S/PZ2 |
| 3 | 1 | 70S/PZ3 |
| 4 | 1 | 70S/PZ4 |



Bit for TORX® head screws, in blister pack of 2 pcs



70S/T 2P

| Length | Quantity | Part Number |
|--------|----------|-------------|
| T20 | 25 | 70S/T20-2P |
| T25 | 25 | 70S/T25-2P |
| T27 | 1 | 70S/T27-2P |
| T30 | 25 | 70S/T30-2P |
| T40 | 25 | 70S/T40-2P |
| T45 | 25 | 70S/T45-2P |
| T50 | 25 | 70S/T50-2P |
| T55 | 25 | 70S/T55-2P |



Bit for slotted head screws, PHILLIPS® screws, in plastic box of 5 pcs



70S/PH

| Length | Quantity | Part Number |
|--------|----------|-------------|
| 1 | 1 | 70S/PH1 |
| 2 | 1 | 70S/PH2 |
| 3 | 1 | 70S/PH3 |
| 4 | 1 | 70S/PH4 |



70S/PZ 2P

| Length | Quantity | Part Number |
|--------|----------|-------------|
| 1 | 25 | 70S/PZ1-2P |
| 2 | 25 | 70S/PZ2-2P |
| 3 | 25 | 70S/PZ3-2P |
| 4 | 25 | 70S/PZ4-2P |



Bit for slotted head screws, for TORQ-SET®, in plastic box of 5 pcs



70S/TS




| Length | Quantity | Part Number |
|--------|----------|-------------|
| 1/4" | 1 | 70S/TS1/4 |
| 10 mm | 1 | 70S/TS10 |
| 5/16" | 1 | 70S/TS5/16 |
| 8 mm | 1 | 70S/TS8 |



Bit for torq-set® head screws, in blister pack of 2 pcs






70S/TS 2P

|    | |
|--|------------------|
| 8 mm | 25 70S/TS8-2P |
| 10 mm | 25 70S/TS10-2P |
| 1/4" | 25 70S/TS1/4-2P |
| 5/16" | 25 70S/TS5/16-2P |

Bit for hexagon metric socket head screws, in plastic box of 5 pcs






70S/H

|    | |
|---|-----------|
| 4 | 1 70S/H4 |
| 5 | 1 70S/H5 |
| 6 | 1 70S/H6 |
| 7 | 1 70S/H7 |
| 8 | 1 70S/H8 |
| 10 | 1 70S/H10 |
| 12 | 1 70S/H12 |
| 14 | 1 70S/H14 |

Bit for hexagon metric socket head screws, in blister pack of 2 pcs



70S/H 2P

|    | |
|--|---------------|
| 4 | 25 70S/H4-2P |
| 5 | 25 70S/H5-2P |
| 6 | 25 70S/H6-2P |
| 7 | 25 70S/H7-2P |
| 8 | 25 70S/H8-2P |
| 10 | 25 70S/H10-2P |
| 12 | 25 70S/H12-2P |
| 14 | 25 70S/H14-2P |

Magnetic universal bit holder, 70mm
In a plastic holder (1 pc)



KM1/4-5/16-1P

|     | | |
|---|------|------------------|
| 5/16" | 1/4" | 50 KM1/4-5/16-1P |

BIT SETS 5/16"

Bit assortment Phillips, slotted and hex screws



7865

|    | |
|---|--------|
| 55 x 90 x 220 mm | 1 7865 |

Impact Driver With 23 Bit Assortment



7823




|    | |
|---|---------|
| 45 x 70 x 197 mm | 16 7823 |

BITS 11.2 MM (7/16")

Bit for hexagon metric socket head screws, in plastic box of 5 pcs






74S/H

|    | |
|---|-----------|
| 4 | 1 74S/H4 |
| 5 | 1 74S/H5 |
| 6 | 1 74S/H6 |
| 7 | 1 74S/H7 |
| 8 | 1 74S/H8 |
| 10 | 1 74S/H10 |
| 12 | 1 74S/H12 |
| 14 | 1 74S/H14 |
| 17 | 1 74S/H17 |

Bit for hexagon metric socket head screws, in blister pack of 2 pcs



74S/H 2P

|    | |
|---|---------------|
| 10 | 25 74S/H10-2P |
| 12 | 25 74S/H12-2P |
| 14 | 1 74S/H14-2P |
| 17 | 25 74S/H17-2P |
| 4 | 25 74S/H4-2P |
| 5 | 25 74S/H5-2P |
| 6 | 25 74S/H6-2P |
| 7 | 25 74S/H7-2P |
| 8 | 25 74S/H8-2P |